

## The most cited LPD works

(last updated on 24.02.2010)

1	V.I.Tretyak and Yu.G.Zdesenko. <i>Tables of double beta decay data – an update.</i> <b>At. Data Nucl. Data Tables 80(2002)83-116.</b>	162
2	V.I.Tretyak and Yu.G.Zdesenko. <i>Tables of double beta decay data.</i> <b>At. Data Nucl. Data Tables 61(1995)43-90.</b>	156
3	D.Dassie et al. <i>Two-neutrino double-<math>\beta</math> decay measurement of <math>^{100}\text{Mo}</math>.</i> <b>Phys. Rev. D 51(1995)2090-2100.</b>	101
4	Yu.G.Zdesenko et al. <i>Has neutrinoless double <math>\beta</math> decay of <math>^{76}\text{Ge}</math> been really observed?</i> <b>Phys. Lett. B 546(2002)206-215.</b>	96
5	F.A.Danevich et al. <i>The research of <math>2\beta</math> decay of <math>^{116}\text{Cd}</math> with enriched <math>^{116}\text{CdWO}_4</math> crystal scintillators.</i> <b>Phys. Lett. B 344(1995)72-78.</b>	95
6	F.A.Danevich et al. <i>Search for <math>2\beta</math> decay of cadmium and tungsten isotopes: Final results of the Solotvina experiment.</i> <b>Phys. Rev. C 68(2003)035501, 12 p.</b>	84
7	Yu.Zdesenko. <i>The future of double <math>\beta</math> decay research.</i> <b>Rev. Mod. Phys. 74(2002)663-684.</b>	72
8	G.Bellini et al. <i>High sensitivity <math>2\beta</math> decay study of <math>^{116}\text{Cd}</math> and <math>^{100}\text{Mo}</math> with the BOREXINO CTF (CAMEO project).</i> <b>Eur. J. Phys. C 19(2001)43-55.</b>	68
9	F.A.Danevich et al. <i>New results of <math>^{116}\text{Cd}</math> double <math>\beta</math> decay study with <math>^{116}\text{CdWO}_4</math> scintillators.</i> <b>Phys. Rev. C 62(2000)045501, 9 p.</b>	66
10	Yu.G.Zdesenko et al. <i>High sensitivity GEM experiment on <math>2\beta</math> decay of <math>^{76}\text{Ge}</math>.</i> <b>J. Phys. G: Nucl. Part. Phys. 27(2001)2129-2146.</b>	63
11	R.Arnold et al. <i>Double beta decay of <math>^{96}\text{Zr}</math>.</i> <b>Nucl. Phys. A 658(1999)299-312.</b>	63
12	Ю.Г.Здесенко. <i>Двойной <math>\beta</math>-распад и сохранение лептонного заряда.</i> <b>ЭЧАЯ 11(1980)1369-1420.</b>	61
13	R.Arnold et al. <i>Double-<math>\beta</math> decay of <math>^{82}\text{Se}</math>.</i> <b>Nucl. Phys. A 636(1998)209-223.</b>	56
15	F.A.Danevich et al. <i>Quest for double beta decay of <math>^{160}\text{Gd}</math> and <math>\text{Ce}</math> isotopes.</i> <b>Nucl. Phys. A 694(2001)375-391.</b>	50
14	R.Arnold et al. <i>Double-<math>\beta</math> decay of <math>^{116}\text{Cd}</math>.</i> <b>Z. Physik C 72(1996)239-247.</b>	50
16	D.Blum et al. <i>Search for <math>\gamma</math>rays following <math>\beta\beta</math> decay of <math>^{100}\text{Mo}</math> to excited states of <math>^{100}\text{Ru}</math>.</i> <b>Phys. Lett. B 275(1992)506-511.</b>	45
17	NEMO Collaboration. <i>NEMO experiment on double beta decay of <math>^{100}\text{Mo}</math>. Present status and future.</i> <b>Nucl. Phys. B (Proc. Suppl.) 35(1994)369-371.</b>	42
18	А.Ш.Георгадзе и др. <i>Результаты исследований <math>2\beta</math>-распада <math>^{116}\text{Cd}</math> с помощью сцинтилляторов <math>^{116}\text{CdWO}_4</math>.</i> <b>Яд. Физика 58(1995)1170-1179.</b>	37
19	F.T.Avignone III et al., <i>Next generation double-beta decay experiments: metrics for their evaluation.</i> <b>New J. Phys. 7(2005)6, 46 pp.</b>	36
20	C.Arpesella et al., <i>Direct measurement of the <math>^7\text{Be}</math> solar neutrino flux with 192 days of Borexino data.</i> <b>Phys. Rev. Lett. 101(2008)091302, 6 p.</b>	34
21	P.Belli et al. <i>New limits on <math>2\beta^+</math> decay processes in <math>^{106}\text{Cd}</math>.</i> <b>Astropart. Phys. 10(1999)115-120.</b>	33
22	S.Moriyama (on behalf of the XMASS Collaboration). <i>XMASS experiment I.</i> <b>Proc. Int. Workshop XENON'01, World Sci., 2002, p. 123-135.</b>	31
23	P.Belli et al. <i>New limits on spin-dependent coupled WIMPs and on <math>2\beta</math> processes in <math>^{40}\text{Ca}</math> and <math>^{46}\text{Ca}</math> by using low radioactive <math>\text{CaF}_2(\text{Eu})</math> crystal scintillators.</i> <b>Nucl. Phys. B 563(1999)97-106.</b>	30
24	F.A.Danevich et al., <i><math>\text{ZnWO}_4</math> crystals as detectors for <math>2\beta</math> decay and dark matter experiments.</i> <b>Nucl. Instrum. Meth. Phys. Res. A 544(2005)553-564</b>	27
25	Ю.Г.Здесенко и др. <i>Поиски безнейтринного двойного <math>\beta</math>-распада <math>^{96}\text{Zr}</math>.</i> <b>Известия АН СССР, сер. Физ. 45(1981)1856-1860.</b>	27
26	Ch.Marquet (for the NEMO coll.). <i>Double beta decay with the NEMO exp.: status of the NEMO 3 detector.</i> <b>Nucl. Phys. B (Proc. Suppl.) 87(2000)298-300.</b>	24
27	А.Ш.Георгадзе и др. <i>Бета-распад <math>^{113}\text{Cd}</math>.</i> <b>Яд. Физика 59(1996)5-9.</b>	24
28	H.Ejiri et al. <i>Double beta decays of <math>^{116}\text{Cd}</math>.</i> <b>J. Phys. Soc. Japan 64(1995)339-343.</b>	24
29	K.Kume et al. <i>Double beta decays studied by Elegant.</i>	24

	<b>DBD and Rel. Topics (Trento, 1995) – World Sci., 1996. – P.490-495.</b>	
30	Ю.Г.Здесенко. <i>Сохранение лептонного заряда в двойном <math>\beta</math>-распаде <math>^{130}\text{Te}</math>.</i> <b>Письма в ЖЭТФ 32(1980)62-67.</b>	22
31	F.A.Danevich et al. <i><math>\alpha</math> activity of natural tungsten isotopes.</i> <b>Phys. Rev. C 67(2003)014310, 8 p.</b>	21
32	O.A.Ponkratenko et al. <i>Event gen. DECAY4 for simulation of double-beta proc. and decays of radioactive nuclei.</i> <b>Phys. Atom. Nuclei 63(2000)1282-1287.</b>	20
33	A.S.Barabash and NEMO Collaboration. <i>NEMO Collaboration: Latest results and perspectives for the future.</i> <b>Neutrino'96 Proc. (Helsinki, 1996) – World Sci., 1997, P.374-380.</b>	20
34	F.A.Danevich et al. <i>New limits of half-lives for <math>2\beta</math> processes in Cd and W isotopes.</i> <b>WEIN'92: - World Scientific, 1993. – P.575-581.</b>	20
35	D.Dassie et al. <i>NEMO 3 Proposal.</i> <b>Preprint LAL 94-29 (1994).</b>	19
36	Yu.G.Zdesenko et al., <i>Scintillation properties and radioactive contamination of <math>\text{CaWO}_4</math> crystal scintillators.</i> <b>Nucl. Instrum. Meth. Phys. Res. A 538(2005)657-667.</b>	18
37	G.Bellini et al. <i>High sensitivity quest for Majorana neutrino mass with the BOREXINO counting test facility.</i> <b>Phys. Lett. B 493(2000)216-228.</b>	18
38	X.Sarazin (for the NEMO Coll.) <i>Double-<math>\beta</math> decays with the NEMO experiment: final results of NEMO-2 ...</i> <b>Nucl. Phys. B (Proc. Suppl.) 70(1999)239-241.</b>	17
39	NEMO Coll. (pres. By A.S.Barabash). <i>Invest. Of double beta decay of <math>^{82}\text{Se}</math> and <math>^{96}\text{Zr}</math> with tracking det. NEMO-2.</i> <b>Nucl. Phys. A 629(1998)517c-522c.</b>	17
40	K.Kume et al. <i>Double beta decays of <math>^{116}\text{Cd}</math>.</i> <b>Nucl. Phys. A 577(1994)405c-410c.</b>	17
41	Yu.Zdesenko. <i>Double beta decay experiments at Kiev.</i> <b>J. Phys. G: Nucl. Part. Phys. 17(1991)s243-s249.</b>	17
42	R.Arnold et al. <i>Observation of two neutrino double beta decay of <math>^{116}\text{Cd}</math> with the tracking detector NEMO-2.</i> <b>Письма в ЖЭТФ 61(1995)168-171.</b>	16
43	Yu.G.Zdesenko et al. <i>The study of <math>2\beta</math>-decay of <math>^{100}\text{Mo}</math>.</i> <b>Proc. Int. Conf. Neutrino'82: Hungary, 1982. – Vol.1. – P.209-215.</b>	16
44	Ю.Г.Здесенко и др. <i>Изучение двойного <math>\beta</math>-распада <math>^{130}\text{Te}</math>.</i> <b>Ядерная физика 32(1980)607-616.</b>	16
45	H.O.Back et al., <i>New limits on nucleon decays into invisible channels with the BOREXINO counting test facility.</i> <b>Phys. Lett. B 563(2003)23-34.</b>	15
46	Yu.G.Zdesenko et al. <i>High sensitivity GEM experiment on <math>2\beta</math> decay of <math>^{76}\text{Ge}</math>.</i> <b>Electronic preprint nucl-ex/0106021. – 20 p.</b>	15
47	F.Piquemal (for the NEMO collaboration). <i>Results from the NEMO experiment.</i> <b>Nucl. Phys. B (Proc. Suppl.) 77(1999)352-356.</b>	15
48	F.A.Danevich et al. <i>Limits on Majoron modes of <math>^{116}\text{Cd}</math> neutrinoless <math>2\beta</math> decay.</i> <b>Nucl. Phys. A 643(1998)317-328.</b>	15
49	F.Piquemal and NEMO Collaboration. <i>NEMO experiment on double beta decay. Present status.</i> <b>DBD and Rel. Topics (Trento, 1995) – World Sci., 1996. – P.496-501.</b>	15
50	F.A.Danevich et al. <i>Investigation of <math>\beta^+ \beta^+</math> and <math>\beta^+/\text{EC}</math> decay of <math>^{106}\text{Cd}</math>.</i> <b>Z. Physik A 355(1996)433-437.</b>	15
51	Ф.А.Даневич и др. <i>Поиск <math>2\beta</math>-распада <math>^{116}\text{Cd}</math> с помощью сцинтиллятора <math>^{116}\text{CdWO}_4</math>.</i> <b>Письма в ЖЭТФ 49(1989)417-420.</b>	15
52	V.I.Tretyak and Yu.G.Zdesenko <i>Exp. limits on the proton life-time from the neutrino experiments with heavy water.</i> <b>Phys. Lett. B 505(2001)59-63.</b>	14
53	R.Bernabei et al. <i>Search for the nucleon and di-nucleon decay into invisible channels.</i> <b>Phys. Lett. B 493(2000)12-18.</b>	14
54	С.Ф.Бурачас и др. <i>О возможности поиска <math>2\beta</math>-распада <math>^{160}\text{Gd}</math> с помощью сцинтилляторов GSO.</i> <b>Яд. Физика 58(1995)195-199.</b>	14
55	A.Alessandrello et al., <i>Bolometric measurement of the beta spectrum of <math>^{113}\text{Cd}</math>.</i> <b>Nucl. Phys. B (Proc. Suppl.) 35(1994)394-396.</b>	14
56	H.O.Back et al., <i>New exp. limits on violations of the Pauli exclusion principle obtained with the Borexino CTF.</i> <b>Eur. Phys. J. C 37(2004)421-431.</b>	13
57	F.A.Danevich et al. <i>New results of <math>^{116}\text{Cd}</math> double <math>\beta</math> decay study with <math>^{116}\text{CdWO}_4</math> scintillators.</i> <b>Electronic preprint nucl-ex/0003001. – 28 p.</b>	13
58	T.Fazzini et al., <i>Pulse-shape discrimination with <math>\text{CdWO}_4</math> crystal scintillators.</i> <b>Nucl. Instrum. Meth. Phys. Research A 410(1998)213-219.</b>	13
59	F.A.Danevich et al. <i>Quest for neutrinoless double beta decay of <math>^{160}\text{Gd}</math>.</i> <b>Nucl. Phys. B (Proc. Suppl.) 48(1996)235-237.</b>	13

60	Yu.G.Zdesenko, V.I.Tretyak, <i>To what extent does the latest SNO result guarantee the proton stability?</i> <b>Phys. Lett. B 553(2003)135-140.</b>	12
61	P.Belli et al. <i>Performances of a CeF<sub>3</sub> crystal scintillator and its application to the search for rare processes.</i> <b>Nucl. Instrum. Meth. A 498(2003)352-361.</b>	12
62	Yu.G.Zdesenko. <i>CAMEO/GEM program for future 2<math>\beta</math> decay and dark matter experiments.</i> <b>Nucl. Phys. B (Proc. Suppl.) 110(2002)385-388.</b>	12
63	P.Belli et al. <i>New experimental limit on the electron stability and non-paulian transitions in Iodine atoms.</i> <b>Phys. Lett. B 460(1999)236-241.</b>	12
64	R.Arnold et al. <i>Performance of a prototype tracking detector for double beta decay measurements.</i> <b>Nucl. Instrum. Meth. A 354(1995)338-351.</b>	12
65	E.Bukhner et al. <i>Rare decays of mercury nuclei</i> <b>Sov. J. Nucl. Phys. 52(1990)193-197.</b>	12
66	F.A.Danevich et al. <i>CdWO<sub>4</sub>, ZnSe and ZnWO<sub>4</sub> scintillators in studies of 2<math>\beta</math>-processes.</i> <b>Instr. Exp. R. 32(1989)1059-1064.</b>	12
67	Yu.G.Zdesenko. <i>CAMEO/GEM program and future of double-<math>\beta</math>-decay research.</i> <b>Ядерная физика 65(2002)2251-2260.</b>	11
68	C.J.M.Longuemare (for the NEMO collaboration). <i>The double <math>\beta</math> decay experiment NEMO-3.</i> <b>Part. Nucl. Lett. (Письма в ЭЧАЯ) 3(2001)62-68.</b>	11
69	G.Bellini et al. <i>High sensitivity 2<math>\beta</math> decay study of <sup>116</sup>Cd and <sup>100</sup>Mo with the BOREXINO CTF (CAMEO project).</i> <b>Electronic preprint nucl-ex/0007012, 29 p.</b>	11
70	P.Belli et al. <i>Charge non-conservation restrictions from the nuclear levels excitation of <sup>129</sup>Xe induced by the electron's decay on the atomic shell.</i> <b>Phys. Lett. B 465(1999)315-322.</b>	11
71	P.Belli et al., <i>New limits on the nuclear levels excitation of <sup>127</sup>I and <sup>23</sup>Na during charge nonconservation..</i> <b>Phys. Rev. C 60(1999)065501, 7 p.</b>	11
72	I.Kisel et al. <i>Cellular automaton and elastic net for event reconstruction in the NEMO-2 experiment.</i> <b>Nucl. Instrum. and Methods in Phys. Res. A 387(1997)433-442.</b>	11
73	G.Bellini et al. <i>Measurement of the solar <sup>8</sup>B neutrino flux with 246 live days of Borexino and observation of the MSW vacuum-matter transition.</i> <b>Electronic preprint arXiv:0808.2868 [astro-ph], 6p.</b>	10
74	C.Cattadori et al. <i>Observation of <math>\beta</math> decay of <sup>115</sup>In to the first excited level of <sup>115</sup>Sn.</i> <b>Nucl. Phys. A 748(2005)333-347.</b>	10
75	NEMO coll. (presented by A.S.Barabash), <i>Testing the Pauli exclusion principle with the NEMO-2 detector.</i> <b>Nucl. Phys. B (Proc. Suppl.) 87(2000)510-511.</b>	10
76	P.Belli et al. <i>Quest for electron decay <math>e^- \rightarrow \nu_e \gamma</math> with a liquid xenon scintillator.</i> <b>Phys. Rev. D 61(2000)117301, 4 p.</b>	10
77	NEMO Collaboration. <i>Double beta decay experiments with the tracking detector NEMO-2.</i> <b>Nucl. Phys. B (Proc. Suppl.) 48(1996)226-228.</b>	10
<b><math>\Sigma</math></b>		<b>2361</b>