

The most cited LPD works

(last updated on 6.01.2012)

1	V.I.Tretyak and Yu.G.Zdesenko. <i>Tables of double beta decay data – an update.</i> At. Data Nucl. Data Tables 80(2002)83-116.	201
2	V.I.Tretyak and Yu.G.Zdesenko. <i>Tables of double beta decay data.</i> At. Data Nucl. Data Tables 61(1995)43-90.	167
3	F.A.Danevich et al. <i>Search for 2β decay of cadmium and tungsten isotopes: Final results of the Solotvina experiment.</i> Phys. Rev. C 68(2003)035501, 12 p.	120
4	C.Arpesella et al., <i>Direct measurement of the ^7Be solar neutrino flux with 192 days of Borexino data.</i> Phys. Rev. Lett. 101(2008)091302, 6 p.	111
5	Yu.G.Zdesenko et al. <i>Has neutrinoless double β decay of ^{76}Ge been really observed?</i> Phys. Lett. B 546(2002)206-215.	110
6	D.Dassie et al. <i>Two-neutrino double-β decay measurement of ^{100}Mo.</i> Phys. Rev. D 51(1995)2090-2100.	104
7	F.A.Danevich et al. <i>The research of 2β decay of ^{116}Cd with enriched $^{116}\text{CdWO}_4$ crystal scintillators.</i> Phys. Lett. B 344(1995)72-78.	103
8	Yu.Zdesenko. <i>The future of double β decay research.</i> Rev. Mod. Phys. 74(2002)663-684.	79
9	F.A.Danevich et al. <i>New results of ^{116}Cd double β decay study with $^{116}\text{CdWO}_4$ scintillators.</i> Phys. Rev. C 62(2000)045501, 9 p.	72
10	R.Arnold et al. <i>Double beta decay of ^{96}Zr.</i> Nucl. Phys. A 658(1999)299-312.	72
11	G.Bellini et al. <i>High sensitivity 2β decay study of ^{116}Cd and ^{100}Mo with the BOREXINO CTF (CAMEO project).</i> Eur. J. Phys. C 19(2001)43-55.	71
12	Yu.G.Zdesenko et al. <i>High sensitivity GEM experiment on 2β decay of ^{76}Ge.</i> J. Phys. G: Nucl. Part. Phys. 27(2001)2129-2146.	65
13	F.T.Avignone III et al., <i>Next generation double-beta decay experiments: metrics for their evaluation.</i> New J. Phys. 7(2005)6, 46 pp.	62
14	Ю.Г.Здесенко. <i>Двойной β-распад и сохранение лептонного заряда.</i> ЭЧАЯ 11(1980)1369-1420.	62
15	R.Arnold et al. <i>Double-β decay of ^{82}Se.</i> Nucl. Phys. A 636(1998)209-223.	58
16	R.Arnold et al. <i>Double-β decay of ^{116}Cd.</i> Z. Physik C 72(1996)239-247.	54
17	F.A.Danevich et al. <i>Quest for double beta decay of ^{160}Gd and Ce isotopes.</i> Nucl. Phys. A 694(2001)375-391.	53
18	D.Blum et al. <i>Search for γrays following $\beta\beta$ decay of ^{100}Mo to excited states of ^{100}Ru.</i> Phys. Lett. B 275(1992)506-511.	47
19	P.Belli et al. <i>New limits on $2\beta^+$ decay processes in ^{106}Cd.</i> Astropart. Phys. 10(1999)115-120.	43
20	NEMO Collaboration. <i>NEMO experiment on double beta decay of ^{100}Mo. Present status and future.</i> Nucl. Phys. B (Proc. Suppl.) 35(1994)369-371.	42
21	O.A.Ponkratenko et al. <i>Event gen. DECAY4 for simulation of double-beta proc. and decays of radioactive nuclei.</i> Phys. Atom. Nuclei 63(2000)1282-1287.	40
22	А.Ш.Георгадзе и др. <i>Результаты исследований 2β-распада ^{116}Cd с помощью сцинтилляторов $^{116}\text{CdWO}_4$.</i> Яд. Физика 58(1995)1170-1179.	38
23	F.A.Danevich et al., <i>ZnWO_4 crystals as detectors for 2β decay and dark matter experiments.</i> Nucl. Instrum. Meth. Phys. Res. A 544(2005)553-564	34
24	S.Moriyama (on behalf of the XMASS Collaboration). <i>XMASS experiment I.</i> Proc. Int. Workshop XENON'01, World Sci., 2002, p. 123-135.	34
25	P.Belli et al. <i>New limits on spin-dependent coupled WIMPs and on 2β processes in ^{40}Ca and ^{46}Ca by using low radioactive $\text{CaF}_2(\text{Eu})$ crystal scintillators.</i> Nucl. Phys. B 563(1999)97-106.	34
26	F.A.Danevich et al. <i>α activity of natural tungsten isotopes.</i> Phys. Rev. C 67(2003)014310, 8 p.	30
27	H.Ejiri et al. <i>Double beta decays of ^{116}Cd.</i> J. Phys. Soc. Japan 64(1995)339-343.	29
29	H.O.Back et al., <i>New exp. limits on violations of the Pauli exclusion principle obtained with the Borexino CTF.</i> Eur. Phys. J. C 37(2004)421-431.	28
30	А.Ш.Георгадзе и др. <i>Бета-распад ^{113}Cd.</i> Яд. Физика 59(1996)5-9.	27

29	Ю.Г.Здесенко и др. <i>Поиски безнейтринного двойного β-распада ^{96}Zr. Известия АН СССР, сер. Физ. 45(1981)1856-1860.</i>	27
31	K.Kume et al. <i>Double beta decays studied by Elegant. DBD and Rel. Topics (Trento, 1995) – World Sci., 1996. – P.490-495.</i>	25
32	Ch.Marquet (for the NEMO coll.). <i>Double beta decay with the NEMO exp.: status of the NEMO 3 detector. Nucl. Phys. B (Proc. Suppl.) 87(2000)298-300.</i>	24
33	Yu.G.Zdesenko et al., <i>Scintillation properties and radioactive contamination of CaWO_4 crystal scintillators. Nucl. Instrum. Meth. Phys. Res. A 538(2005)657-667.</i>	22
34	G.Bellini et al. <i>High sensitivity quest for Majorana neutrino mass with the BOREXINO counting test facility. Phys. Lett. B 493(2000)216-228.</i>	22
35	Ю.Г.Здесенко. <i>Сохранение лептонного заряда в двойном β-распаде ^{130}Te. Письма в ЖЭТФ 32(1980)62-67.</i>	22
36	C.Cattadori et al. <i>Observation of β decay of ^{115}In to the first excited level of ^{115}Sn. Nucl. Phys. A 748(2005)333-347.</i>	21
37	A.S.Barabash and NEMO Collaboration. <i>NEMO Collaboration: Latest results and perspectives for the future. Neutrino'96 Proc. (Helsinki, 1996) – World Sci., 1997, P.374-380.</i>	21
38	V.I.Tretyak. <i>Semi-empirical calculation of quenching factors for ions in scintillators. Astropart. Phys. 33(2010)40-53.</i>	20
39	A.N.Annenkov et al., <i>Development of CaMoO_4 crystal scintillators for a double beta decay experiment with ^{100}Mo. Nucl. Instrum. Meth. Phys. Res. A 584(2008)334-345.</i>	20
40	T.Fazzini et al., <i>Pulse-shape discrimination with CdWO_4 crystal scintillators. Nucl. Instrum. Meth. Phys. Research A 410(1998)213-219.</i>	20
41	F.A.Danevich et al. <i>New limits of half-lives for 2β processes in Cd and W isotopes. WEIN'92: - World Scientific, 1993. – P.575-581.</i>	20
42	Yu.Zdesenko. <i>Double beta decay experiments at Kiev. J. Phys. G: Nucl. Part. Phys. 17(1991)s243-s249.</i>	20
43	D.Dassie et al. <i>NEMO 3 Proposal. Preprint LAL 94-29 (1994).</i>	19
44	C.Arpesella et al., <i>New results on solar neutrino fluxes from 192 days of Borexino data. Electronic preprint arXiv:0805.3843 [astro-ph], 6p.</i>	18
45	P.Belli et al. <i>Performances of a CeF_3 crystal scintillator and its application to the search for rare processes. Nucl. Instrum. Meth. A 498(2003)352-361.</i>	18
46	X.Sarazin (for the NEMO Coll.) <i>Double -β decays with the NEMO experiment: final results of NEMO-2 ... Nucl. Phys. B (Proc. Suppl.) 70(1999)239-241.</i>	18
47	F.A.Danevich et al. <i>Limits on Majoron modes of ^{116}Cd neutrinoless 2β decay. Nucl. Phys. A 643(1998)317-328.</i>	18
48	R.Arnold et al. <i>Observation of two neutrino double beta decay of ^{116}Cd with the tracking detector NEMO-2. Письма в ЖЭТФ 61(1995)168-171.</i>	18
49	K.Kume et al. <i>Double beta decays of ^{116}Cd. Nucl. Phys. A 577(1994)405c-410c.</i>	18
50	H.O.Back et al., <i>New limits on nucleon decays into invisible channels with the BOREXINO counting test facility. Phys. Lett. B 563(2003)23-34.</i>	17
51	R.Bernabei et al. <i>Search for the nucleon and di-nucleon decay into invisible channels. Phys. Lett. B 493(2000)12-18.</i>	17
52	NEMO coll. (presented by A.S.Barabash), <i>Testing the Pauli exclusion principle with the NEMO-2 detector. Nucl. Phys. B (Proc. Suppl.) 87(2000)510-511.</i>	17
53	R.Arnold et al. <i>Testing the Pauli exclusion principle with the NEMO-2 detector. Eur. Phys. J. A 6(1999)361-366.</i>	17
54	NEMO Coll. (pres. By A.S.Barabash). <i>Invest. Of double beta decay of ^{82}Se and ^{96}Zr with tracking det. NEMO-2. Nucl. Phys. A 629(1998)517c-522c.</i>	17
55	F.A.Danevich et al. <i>Investigation of $\beta^+ \beta^+$ and β^+/EC decay of ^{106}Cd. Z. Physik A 355(1996)433-437.</i>	17
56	Ф.А.Даневич и др. <i>Поиск 2β-распада ^{116}Cd с помощью сцинтиллятора $^{116}\text{CdWO}_4$. Письма в ЖЭТФ 49(1989)417-420.</i>	17
57	Ю.Г.Здесенко и др. <i>Изучение двойного β-распада ^{130}Te. Ядерная физика 32(1980)607-616.</i>	17
58	V.I.Tretyak and Yu.G.Zdesenko <i>Exp. limits on the proton life-time from the neutrino experiments with heavy water. Phys. Lett. B 505(2001)59-63.</i>	16
59	Yu.G.Zdesenko et al. <i>High sensitivity GEM experiment on 2β decay of ^{76}Ge. Electronic preprint nucl-ex/0106021. – 20 p.</i>	16
60	P.Belli et al. <i>New experimental limit on the electron stability and non-paulian transitions in Iodine atoms. Phys. Lett. B 460(1999)236-241.</i>	16

61	A.Alessandrello et al., <i>Bolometric measurement of the beta spectrum of ^{113}Cd.</i> Nucl. Phys. B (Proc. Suppl.) 35(1994)394-396.	16
62	Yu.G.Zdesenko et al. <i>The study of 2β-decay of ^{100}Mo.</i> Proc. Int. Conf. Neutrino'82: Hungary, 1982. – Vol.1. – P.209-215.	16
63	F.A.Danevich et al. <i>New results of ^{116}Cd double β decay study with $^{116}\text{CdWO}_4$ scintillators.</i> Electronic preprint nucl-ex/0003001. – 28 p.	15
64	F.Piquemal (for the NEMO collaboration). <i>Results from the NEMO experiment.</i> Nucl. Phys. B (Proc. Suppl.) 77(1999)352-356.	15
65	F.Piquemal and NEMO Collaboration. <i>NEMO experiment on double beta decay. Present status.</i> DBD and Rel. Topics (Trento, 1995) – World Sci., 1996. – P.496-501.	15
66	R.Arnold et al. <i>Performance of a prototype tracking detector for double beta decay measurements.</i> Nucl. Instrum. Meth. A 354(1995)338-351.	15
67	С.Ф.Бурачас и др. <i>О возможности поиска 2β-распада ^{160}Gd с помощью сцинтилляторов GSO.</i> Яд. Физика 58(1995)195-199.	15
68	G.Bellini et al. <i>Measurement of the solar ^8B neutrino flux with 246 live days of Borexino and observation of the MSW vacuum-matter transition.</i> Electronic preprint arXiv:0808.2868 [astro-ph], 6 p.	14
69	P.Belli et al., <i>New limits on the nuclear levels excitation of ^{127}I and ^{23}Na during charge nonconservation..</i> Phys. Rev. C 60(1999)065501, 7 p.	14
70	G.Alimonti et al., <i>The Borexino detector at the Laboratori Nazionali del Gran Sasso.</i> Nucl. Instrum. Meth. A 600(2009)568-593.	13
71	Yu.G.Zdesenko et al., <i>CARVEL exp. with $^{48}\text{CaWO}_4$ crystal scintillators for the double β decay study of ^{48}Ca.</i> Astropart. Phys. 23(2005)249-263.	13
72	Yu.G.Zdesenko, V.I.Tretyak, <i>To what extent does the latest SNO result guarantee the proton stability?</i> Phys. Lett. B 553(2003)135-140.	13
73	I.Kisel et al. <i>Cellular automaton and elastic net for event reconstruction in the NEMO-2 experiment.</i> Nucl. Instrum. and Methods in Phys. Res. A 387(1997)433-442.	13
74	F.A.Danevich et al. <i>Quest for neutrinoless double beta decay of ^{160}Gd.</i> Nucl. Phys. B (Proc. Suppl.) 48(1996)235-237.	13
75	S.Ph.Burachas et al. <i>Large volume CdWO_4 crystal scintillators.</i> Nucl. Instrum. and Methods in Phys. Research A 369(1996)164-168.	13
76	F.A.Danevich et al. <i>CdWO_4, ZnSe and ZnWO_4 scintillators in studies of 2β-processes.</i> Instr. Exp. R. 32(1989)1059-1064.	13
77	P.Belli et al., <i>Search for α decay of natural Europium.</i> Nucl. Phys. A 789(2007)15-29.	12
78	Yu.G.Zdesenko. <i>CAMEO/GEM program for future 2β decay and dark matter experiments.</i> Nucl. Phys. B (Proc. Suppl.) 110(2002)385-388.	12
79	O.A.Ponkratenko et al. <i>Event gen. DECAY4 for simulation of double-beta proc. and decays of radioactive nuclei.</i> Electronic preprint arXiv:0104018 [nucl-ex], 8 p.	12
80	G.Bellini et al. <i>High sensitivity 2β decay study of ^{116}Cd and ^{100}Mo with the BOREXINO CTF (CAMEO project).</i> Electronic preprint nucl-ex/0007012, 29 p.	12
81	P.Belli et al. <i>Charge non-conservation restrictions from the nuclear levels excitation of ^{129}Xe induced by the electron's decay on the atomic shell.</i> Phys. Lett. B 465(1999)315-322.	12
82	Yu.G.Zdesenko et al. <i>Lead molybdate as a low-temperature scintillator in the experimental search for the neutrinoless double beta-decay of ^{100}Mo.</i> Instr. Exp. Technique 39(1996)364-368.	12
83	E.Bukhner et al. <i>Rare decays of mercury nuclei</i> Sov. J. Nucl. Phys. 52(1990)193-197.	12
84	G.Bellini et al. <i>Observation of geo-neutrinos.</i> Phys. Lett. B 687(2010)299-304.	11
85	L.Bardelli et al., <i>Further study of CdWO_4 crystal scintillators as detectors for high sensitivity 2β experiments: Scintillation properties and pulse-shape discrimination.</i> Nucl. Instrum. Meth. Phys. Res. A 569(2006)743-753	11
86	Yu.G.Zdesenko. <i>CAMEO/GEM program and future of double-β-decay research.</i> Ядерная физика 65(2002)2251-2260.	11
87	C.J.M.Longuemare (for the NEMO collaboration). <i>The double β decay experiment NEMO-3.</i> Part. Nucl. Lett. (Письма в ЭЧАЯ) 3(2001)62-68.	11
88	P.Belli et al. <i>Quest for electron decay $e^- \rightarrow \nu_e \gamma$ with a liquid xenon scintillator.</i> Phys. Rev. D 61(2000)117301, 4 p.	11
89	P.Belli et al., <i>Search for 2β processes in ^{64}Zn with the help of ZnWO_4 crystal scintillator.</i> Phys. Lett. B 658(2008)193-197.	10
90	F.A.Danevich et al. <i>Status of the INR experiment on 2β decay of ^{116}Cd.</i> Nucl. Phys. B (Proc. Suppl.) 70(1999)246-248.	10
91	NEMO Collaboration. <i>Double beta decay experiments with the tracking detector NEMO-2.</i> Nucl. Phys. B (Proc. Suppl.) 48(1996)226-228.	10

92	Yu.G. Zdesenko et al., <i>The study of the background of the detectors in the Solotvina underground laboratory.</i> Proc. 2nd Int. Symp. on Underground Physics, Nauka, Moscow, 1988, p. 291-295.	10
Σ		2984