

The most cited LPD works

(last updated on 23.12.2018)

1	V.I.Tretyak and Yu.G.Zdesenko. <i>Tables of double beta decay data – an update.</i> At. Data Nucl. Data Tables 80(2002)83-116.	313
2	V.I.Tretyak and Yu.G.Zdesenko. <i>Tables of double beta decay data.</i> At. Data Nucl. Data Tables 61(1995)43-90.	210
3	F.A.Danevich et al. <i>Search for 2β decay of cadmium and tungsten isotopes: Final results of the Solotvina experiment.</i> Phys. Rev. C 68(2003)035501, 12 p.	209
4	C.Arpesella et al., <i>Direct measurement of the ^7Be solar neutrino flux with 192 days of Borexino data.</i> Phys. Rev. Lett. 101(2008)091302, 6 p.	201
5	Yu.G.Zdesenko et al. <i>Has neutrinoless double β decay of ^{76}Ge been really observed?</i> Phys. Lett. B 546(2002)206-215.	138
6	V.I.Tretyak. <i>Semi-empirical calculation of quenching factors for ions in scintillators.</i> Astropart. Phys. 33(2010)40-53.	134
7	D.Dassie et al. <i>Two-neutrino double-β decay measurement of ^{100}Mo.</i> Phys. Rev. D 51(1995)2090-2100.	125
8	F.A.Danevich et al. <i>The research of 2β decay of ^{116}Cd with enriched $^{116}\text{CdWO}_4$ crystal scintillators.</i> Phys. Lett. B 344(1995)72-78.	120
9	G.Bellini et al., <i>Precision measurement of the ^7Be solar neutrino interaction rate in Borexino.</i> Phys. Rev. Lett. 107(2011)141302, 5 p.	112
10	O.A.Ponkratenko et al. <i>Event gen. DECAY4 for simulation of double-beta proc. and decays of radioactive nuclei.</i> Phys. Atom. Nuclei 63(2000)1282-1287.	105
11	R.Arnold et al., <i>Probing new physics models of neutrinoless double beta decay with SuperNEMO.</i> Eur. Phys. J. C 70(2010)927-943.	103
12	F.T.Avignone III et al., <i>Next generation double-beta decay experiments: metrics for their evaluation.</i> New J. Phys. 7(2005)6, 46 pp.	102
13	R.Arnold et al. <i>Double beta decay of ^{96}Zr.</i> Nucl. Phys. A 658(1999)299-312.	101
14	Yu.Zdesenko. <i>The future of double β decay research.</i> Rev. Mod. Phys. 74(2002)663-684.	98
15	F.A.Danevich et al. <i>New results of ^{116}Cd double β decay study with $^{116}\text{CdWO}_4$ scintillators.</i> Phys. Rev. C 62(2000)045501, 9 p.	92
16	F.A.Danevich et al. <i>Quest for double beta decay of ^{160}Gd and Ce isotopes.</i> Nucl. Phys. A 694(2001)375-391.	84
17	R.Arnold et al. <i>Double-β decay of ^{82}Se.</i> Nucl. Phys. A 636(1998)209-223.	84
18	G.Bellini et al. <i>High sensitivity 2β decay study of ^{116}Cd and ^{100}Mo with the BOREXINO CTF (CAMEO project).</i> Eur. J. Phys. C 19(2001)43-55.	78
19	R.Arnold et al. <i>Double-β decay of ^{116}Cd.</i> Z. Physik C 72(1996)239-247.	75
20	G.Bellini et al. <i>Observation of geo-neutrinos.</i> Phys. Lett. B 687(2010)299-304.	73
21	Yu.G.Zdesenko et al. <i>High sensitivity GEM experiment on 2β decay of ^{76}Ge.</i> J. Phys. G: Nucl. Part. Phys. 27(2001)2129-2146.	71
22	Ю.Г.Здесенко. <i>Двойной β-распад и сохранение лептонного заряда.</i> ЭЧАЯ 11(1980)1369-1420.	62
23	G.Bellini et al. <i>Neutrinos from the primary proton-proton fusion process in the Sun.</i> Nature 512(2014)383-386.	59
24	G.Alimonti et al., <i>The Borexino detector at the Laboratori Nazionali del Gran Sasso.</i> Nucl. Instrum. Meth. A 600(2009)568-593.	56
25	D.Blum et al. <i>Search for γ rays following $\beta\beta$ decay of ^{100}Mo to excited states of ^{100}Ru.</i> Phys. Lett. B 275(1992)506-511.	56
26	F.A.Danevich et al. <i>α activity of natural tungsten isotopes.</i> Phys. Rev. C 67(2003)014310, 8 p.	53
27	F.A.Danevich et al., <i>ZnWO_4 crystals as detectors for 2β decay and dark matter experiments.</i> Nucl. Instrum. Meth. Phys. Res. A 544(2005)553-564	52
28	Yu.G.Zdesenko et al., <i>Scintillation properties and radioactive contamination of CaWO_4 crystal scintillators.</i> Nucl. Instrum. Meth. Phys. Res. A 538(2005)657-667.	50
29	P.Belli et al. <i>New limits on $2\beta^+$ decay processes in ^{106}Cd.</i> Astropart. Phys. 10(1999)115-120.	49

30	G.Bellini et al., <i>Precision measurement of the ^7Be solar neutrino interaction rate in Borexino.</i> arXiv:1104.1816, 5 p.	47
31	A.N.Annenkov et al., <i>Development of CaMoO_4 crystal scintillators for a double beta decay experiment with ^{100}Mo.</i> Nucl. Instrum. Meth. Phys. Res. A 584(2008)334-345.	46
32	G.Bellini et al. <i>Final results of Borexino Phase I on low energy solar neutrino spectroscopy.</i> Phys. Rev. D 89(2014)112007.	45
33	R.Arnold et al. <i>Search for neutrinoless double-beta decay of ^{100}Mo with the NEMO-3 detector.</i> Phys. Rev. D 89(2014)111101, 6 p.	45
34	P.Belli et al., <i>Search for α decay of natural Europium.</i> Nucl. Phys. A 789(2007)15-29.	45
35	А.Ш.Георгадзе и др. <i>Результаты исследований 2β-распада ^{116}Cd с помощью сцинтилляторов $^{116}\text{CdWO}_4$.</i> Яд. Физика 58(1995)1170-1179.	45
36	H.Ejiri et al. <i>Double beta decays of ^{116}Cd.</i> J. Phys. Soc. Japan 64(1995)339-343.	45
37	R.Arnold et al., <i>Probing new physics models of neutrinoless double beta decay with SuperNEMO.</i> arXiv:1005.1241, 15 p.	43
38	P.Belli et al. <i>New limits on spin-dependent coupled WIMPs and on 2β processes in ^{40}Ca and ^{46}Ca by using low radioactive $\text{CaF}_2(\text{Eu})$ crystal scintillators.</i> Nucl. Phys. B 563(1999)97-106.	43
39	NEMO Collaboration. <i>NEMO experiment on double beta decay of ^{100}Mo. Present status and future.</i> Nucl. Phys. B (Proc. Suppl.) 35(1994)369-371.	43
40	R.Arnold et al. <i>Result of the search for neutrinoless double-β decay in ^{100}Mo with the NEMO-3 experiment.</i> Phys. Rev. D 92(2015)072011, 23 p.	42
41	H.O.Back et al., <i>New exp. limits on violations of the Pauli exclusion principle obtained with the Borexino CTF.</i> Eur. Phys. J. C 37(2004)421-431.	42
42	C.Cattadori et al. <i>Observation of β decay of ^{115}In to the first excited level of ^{115}Sn.</i> Nucl. Phys. A 748(2005)333-347.	40
43	Yu.G.Zdesenko et al., <i>CARVEL exp. with $^{48}\text{CaWO}_4$ crystal scintillators for the double β decay study of ^{48}Ca.</i> Astropart. Phys. 23(2005)249-263.	40
44	H.Bhang et al. <i>AMoRE exp.: a search for $0\nu 2\beta$ decay of ^{100}Mo isotope with $^{40}\text{Ca}^{100}\text{MoO}_4$ cryog. scint. detector.</i> J. Phys.: Conf. Ser. 375(2012)042023, 4 p.	38
45	C.Arpesella et al., <i>New results on solar neutrino fluxes from 192 days of Borexino data.</i> Electronic preprint arXiv:0805.3843 [astro-ph], 6p.	37
46	S.Moriyama (on behalf of the XMASS Collaboration). <i>XMASS experiment I.</i> Proc. Int. Workshop XENON'01, World Sci., 2002, p. 123-135.	36
47	P.Belli et al. <i>New experimental limit on the electron stability and non-paulian transitions in Iodine atoms.</i> Phys. Lett. B 460(1999)236-241.	35
48	T.Fazzini et al., <i>Pulse-shape discrimination with CdWO_4 crystal scintillators.</i> Nucl. Instrum. Meth. Phys. Research A 410(1998)213-219.	34
49	А.Ш.Георгадзе и др. <i>Бета-распад ^{113}Cd.</i> Яд. Физика 59(1996)5-9.	34
50	L.Bardelli et al., <i>Further study of CdWO_4 crystal scintillators as detectors for high sensitivity 2β experiments: Scintillation properties and pulse-shape discrimination.</i> Nucl. Instrum. Meth. Phys. Res. A 569(2006)743-753	31
51	J.W.Beeman et al. <i>A next-generation $0\nu 2\beta$ decay experiment based on ZnMoO_4 scintillating bolometers.</i> Phys. Lett. B 710(2012)318-323.	30
52	F.A.Danevich et al. <i>Feasibility study of PbWO_4 and PbMoO_4 crystal scint. for cryogenic rare events experiments.</i> Nucl. Instrum. Meth. A 622(2010)608-613.	30
53	H.O.Back et al., <i>New limits on nucleon decays into invisible channels with the BOREXINO counting test facility.</i> Phys. Lett. B 563(2003)23-34.	29
54	P.Agnes et al., <i>First results from the DarkSide-50 dark matter experiment at Laboratori Nazionali del Gran Sasso,</i> Phys. Lett. B 743(2015)456-466.	28
55	V.I.Tretyak. <i>Semi-empirical calculation of quenching factors for ions in scintillators.</i> arXiv:0911.3041, 32 p.	28
56	P.Belli et al. <i>Performances of a CeF_3 crystal scintillator and its application to the search for rare processes.</i> Nucl. Instrum. Meth. A 498(2003)352-361.	28
57	R.Arnold et al. <i>Testing the Pauli exclusion principle with the NEMO-2 detector.</i> Eur. Phys. J. A 6(1999)361-366.	28
58	S.Ph.Burachas et al. <i>Large volume CdWO_4 crystal scintillators.</i> Nucl. Instrum. and Methods in Phys. Research A 369(1996)164-168.	28
59	Ю.Г.Здесенко и др. <i>Поиски безнейтринного двойного β-распада ^{96}Zr.</i> Известия АН СССР, сер. Физ. 45(1981)1856-1860.	27
60	G.Bellini et al., <i>Measurement of geo-neutrinos from 1353 days of Borexino.</i> Phys. Lett. B 722(2013)295-300.	26

61	L.L.Nagornaya et al. <i>Tungstate and molybdate scintillators to search for dark matter and double beta decay.</i> IEEE Trans. Nucl. Sci. 56(2009)2513-2518.	26
62	K.Kume et al. <i>Double beta decays studied by Elegant.</i> DBD and Rel. Topics (Trento, 1995) – World Sci., 1996. – P.490-495.	26
63	G. Bellini et al. <i>SOX: Short distance neutrino Oscillations with Borexino.</i> JHEP 08(2013)038.	25
64	P.Belli et al., <i>Investigation of β decay of ^{113}Cd.</i> Phys. Rev. C 76(2007)064603, 10 p.	25
65	R.Arnold et al. <i>Performance of a prototype tracking detector for double beta decay measurements.</i> Nucl. Instrum. Meth. A 354(1995)338-351.	25
66	P.Agnes et al. <i>Results from the first use of low radioactivity argon in a dark matter search.</i> Phys. Rev. D 93(2016)081101, 7 p.	24
67	G.Bellini et al., <i>Absence of a day-night asymmetry in the ^7Be solar neutrino rate in Borexino.</i> Phys. Lett. B 707(2012)22-26.	24
68	P.Belli et al. <i>Final results of an experiment to search for 2β processes in zinc and tungsten with the help of radiopure ZnWO_4 crystal scintillators,</i> J. Phys. G 38(2011)115107, 15 p.	24
69	L.Gironi et al., <i>Performance of ZnMoO_4 crystal as cryog. scint. bolometer to search for 2β decay of molybdenum.</i> J. of Instrumentation 5(2010)P11007, 12 p.	24
70	O.P.Barinova et al. <i>First test of Li_2MoO_4 crystal as a cryogenic scintillating bolometer.</i> Nucl. Instrum. Meth. A 613(2010)54-57.	24
71	F.A.Danevich et al., <i>YAG:Nd crystals as possible detector to search for 2β and α decay of neodymium.</i> Nucl. Instrum. Meth. A 541(2005)583-589.	24
72	Ch.Marquet (for the NEMO coll.). <i>Double beta decay with the NEMO exp.: status of the NEMO 3 detector.</i> Nucl. Phys. B (Proc. Suppl.) 87(2000)298-300.	24
73	G.Bellini et al. <i>High sensitivity quest for Majorana neutrino mass with the BOREXINO counting test facility.</i> Phys. Lett. B 493(2000)216-228.	24
74	R.Bernabei et al. <i>Search for the nucleon and di-nucleon decay into invisible channels.</i> Phys. Lett. B 493(2000)12-18.	24
75	S.J.Lee et al. <i>The development of a cryogenic det. with CaMoO_4 crystals for neutrinoless double beta decay search.</i> Astropart. Phys. 34(2011)732-737	22
76	G.Bellini et al. <i>Study of solar and other unknown anti-neutrino fluxes with Borexino at LNGS.</i> Phys. Lett. B 696(2011)191-196.	22
77	P.Belli et al., <i>Search for double beta decay of zinc and tungsten with low-background ZnWO_4 crystal scintillators.</i> Nucl. Phys. A 826(2009)256-273.	22
78	V.V.Kobychev et al., <i>Constraints on the photon charge from observations of extragalactic sources.</i> Astronomy Lett. 31(2005)147-151.	22
79	Ю.Г.Здесенко. <i>Сохранение лептонного заряда в двойном β-распаде ^{130}Te.</i> Письма в ЖЭТФ 32(1980)62-67.	22
80	NEMO coll. (presented by A.S.Barabash), <i>Testing the Pauli exclusion principle with the NEMO-2 detector.</i> Nucl. Phys. B (Proc. Suppl.) 87(2000)510-511.	21
81	F.A.Danevich et al. <i>Investigation of $\beta^+\beta^+$ and β^+/EC decay of ^{106}Cd.</i> Z. Physik A 355(1996)433-437.	21
82	A.S.Barabash and NEMO Collaboration. <i>NEMO Collaboration: Latest results and perspectives for the future.</i> Neutrino'96 Proc. (Helsinki, 1996) – World Sci., 1997, P.374-380.	21
83	R.Arnold et al. <i>Observation of two neutrino double beta decay of ^{116}Cd with the tracking detector NEMO-2.</i> Письма в ЖЭТФ 61(1995)168-171.	21
84	R.Arnold et al., <i>Search for neutrinoless double-beta decay of ^{100}Mo with the NEMO-3 detector.</i> Electronic preprint arXiv:1311.5695 [hep-ex], 5 p.	20
85	P.Belli et al., <i>Search for 2β processes in ^{64}Zn with the help of ZnWO_4 crystal scintillator.</i> Phys. Lett. B 658(2008)193-197.	20
86	O.A.Ponkratenko et al. <i>Event gen. DECAY4 for simulation of double-beta proc. and decays of radioactive nuclei.</i> Electronic preprint arXiv:0104018 [nucl-ex], 8 p.	20
87	V.I.Tretyak and Yu.G.Zdesenko <i>Exp. limits on the proton life-time from the neutrino experiments with heavy water.</i> Phys. Lett. B 505(2001)59-63.	20
88	P.Belli et al. <i>Quest for electron decay $e^- \rightarrow \nu_e \gamma$ with a liquid xenon scintillator.</i> Phys. Rev. D 61(2000)117301, 4 p.	20
89	P.Belli et al., <i>New limits on the nuclear levels excitation of ^{127}I and ^{23}Na during charge nonconservation..</i> Phys. Rev. C 60(1999)065501, 7 p.	20
90	F.A.Danevich et al. <i>Limits on Majoron modes of ^{116}Cd neutrinoless 2β decay.</i> Nucl. Phys. A 643(1998)317-328.	20
91	D.Dassie et al. <i>NEMO 3 Proposal.</i> Preprint LAL 94-29 (1994).	20

92	F.A.Danevich et al. <i>New limits of half-lives for 2β processes in Cd and W isotopes.</i> WEIN'92: - World Scientific, 1993. – P.575-581.	20
93	Yu.Zdesenko. <i>Double beta decay experiments at Kiev.</i> J. Phys. G: Nucl. Part. Phys. 17(1991)s243-s249.	20
94	I.Kisel et al. <i>Cellular automaton and elastic net for event reconstruction in the NEMO-2 experiment.</i> Nucl. Instrum. and Methods in Phys. Res. A 387(1997)433-442.	19
95	R.Bernabei et al. <i>Performances and potentialities of a $LaCl_3:Ce$ scintillator.</i> Nucl. Instrum. Meth. A 555(2005)270-281.	18
96	X.Sarazin (for the NEMO Coll.) <i>Double β decays with the NEMO experiment: final results of NEMO-2 ...</i> Nucl. Phys. B (Proc. Suppl.) 70(1999)239-241.	18
97	P.Belli et al. <i>Charge non-conservation restrictions from the nuclear levels excitation of ^{129}Xe induced by the electron's decay on the atomic shell.</i> Phys. Lett. B 465(1999)315-322.	18
98	NEMO Coll. (pres. By A.S.Barabash). <i>Invest. Of double beta decay of ^{82}Se and ^{96}Zr with tracking det. NEMO-2.</i> Nucl. Phys. A 629(1998)517c-522c.	18
99	K.Kume et al. <i>Double beta decays of ^{116}Cd.</i> Nucl. Phys. A 577(1994)405c-410c.	18
100	A.Alessandrello et al., <i>Bolometric measurement of the beta spectrum of ^{113}Cd.</i> Nucl. Phys. B (Proc. Suppl.) 35(1994)394-396.	18
101	Ф.А.Даневич и др. <i>Поиск 2β-распада ^{116}Cd с помощью сцинтиллятора $^{116}CdWO_4$.</i> Письма в ЖЭТФ 49(1989)417-420.	18
102	F.A.Danevich et al. <i>Application of $PbWO_4$ crystal scintillators in experiment to search for 2β decay of ^{116}Cd.</i> Nucl. Instrum. Meth. A 556(2006)259-265.	17
103	Yu.G.Zdesenko, V.I.Tretyak, <i>To what extent does the latest SNO result guarantee the proton stability?</i> Phys. Lett. B 553(2003)135-140.	17
104	Ю.Г.Здесенко и др. <i>Изучение двойного β-распада ^{130}Te.</i> Ядерная физика 32(1980)607-616.	17
105	T.B.Bekker et al. <i>Aboveground test of an advanced Li_2MoO_4 scint. bolometer to search for $0\nu 2\beta$ decay of ^{100}Mo.</i> Astropart. Phys. 72(2016)38-45.	16
106	R.Arnold et al., <i>Measurement of the double-beta decay half-life and search for the neutrinoless double-beta decay of ^{48}Ca with the NEMO-3 detector.</i> Phys. Rev. D 93(2016)112008, 9 p.	16
107	G.Bellini et al. <i>Final results of Borexino Phase-I on low energy solar neutrino spectroscopy.</i> Electronic preprint arXiv:1308.0443 [hep-ex], 64 p.	16
108	H.Kraus et al., <i>$ZnWO_4$ scintillators for cryogenic dark matter experiments.</i> Nucl. Instrum. Meth. A 600(2009)594-598.	16
109	J.Argyriades et al. <i>Measurement of the background in the NEMO 3 double beta decay experiment.</i> Nucl. Instrum. Meth. A 606(2009)449-465.	16
110	O.P.Barinova et al. <i>Intrinsic radiopurity of a Li_2MoO_4 crystal.</i> Nucl. Instrum. Meth. Phys. Res. A 607(2009)573–575.	16
111	P.Belli et al. <i>First limits on 0ν res. $2e$ capt. in ^{136}Ce and new limits for other 2β proc. in ^{136}Ce and ^{138}Ce isotopes.</i> Nucl. Phys. A 824(2009)101-114.	16
112	Yu.G.Zdesenko et al. <i>High sensitivity GEM experiment on 2β decay of ^{76}Ge.</i> Electronic preprint nucl-ex/0106021. – 20 p.	16
113	F.Piquemal (for the NEMO collaboration). <i>Results from the NEMO experiment.</i> Nucl. Phys. B (Proc. Suppl.) 77(1999)352-356.	16
114	Yu.G.Zdesenko et al. <i>Lead molybdate as a low-temperature scintillator in the experimental search for the neutrinoless double beta-decay of ^{100}Mo.</i> Instr. Exp. Technique 39(1996)364-368.	16
115	С.Ф.Бурачас и др. <i>О возможности поиска 2β-распада ^{160}Gd с помощью сцинтилляторов GSO.</i> Яд. Физика 58(1995)195-199.	16
116	E.Bukhner et al. <i>Rare decays of mercury nuclei</i> Sov. J. Nucl. Phys. 52(1990)193-197.	16
117	Yu.G.Zdesenko et al. <i>The study of 2β-decay of ^{100}Mo.</i> Proc. Int. Conf. Neutrino'82: Hungary, 1982. – Vol.1. – P.209-215.	16
118	G.Bellini et al. <i>Cosmogenic backgrounds in Borexino at 3800 m water-equivalent depth.</i> JCAP 08(2013)049, 29 p.	15
119	P.Belli et al. <i>Radioactive contamination of $SrI_2(Eu)$ crystal scintillator.</i> Nucl. Instrum. Meth. A 670(2012)10-17.	15
120	P.Belli et al., <i>Search for double-β decays of ^{96}Ru and ^{104}Ru by ultra-low background HPGe γ spectrometry.</i> Eur. Phys. J. A 42(2009)171-177.	15
121	F.A.Danevich et al., <i>Two-neutrino 2β decay of ^{116}Cd and new half-life limits on 2β decay of ^{180}W and ^{186}W.</i> Nucl. Phys. A 717(2003)129-145.	15
122	G.Bellini et al. <i>High sensitivity 2β decay study of ^{116}Cd and ^{100}Mo with the BOREXINO CTF (CAMEO project).</i> Electronic preprint nucl-ex/0007012, 29 p.	15

123	F.A.Danevich et al. <i>New results of ^{116}Cd double β decay study with $^{116}\text{CdWO}_4$ scintillators.</i> Electronic preprint nucl-ex/0003001. – 28 p.	15
124	F.Piquemal and NEMO Collaboration. <i>NEMO experiment on double beta decay. Present status.</i> DBD and Rel. Topics (Trento, 1995) – World Sci., 1996. – P.496-501.	15
125	F.A.Danevich et al. <i>Quest for neutrinoless double beta decay of ^{160}Gd.</i> Nucl. Phys. B (Proc. Suppl.) 48(1996)235-237.	15
126	F.A.Danevich et al. <i>CdWO_4, ZnSe and ZnWO_4 scintillators in studies of 2β-processes.</i> Instr. Exp. R. 32(1989)1059-1064.	15
127	R.Arnold et al. <i>Measurement of the $2\nu\beta\beta$ decay half-life of ^{150}Nd and a search for $0\nu\beta\beta$ decay processes with the full exposure from the NEMO-3 detector.</i> Phys. Rev. D 94 (2016) 072003, 19 p.	14
128	P.Agnes et al. <i>Results from the first use of low radioactivity argon in a dark matter search.</i> Electronic preprint arXiv:1510.00702 [astro-ph.CO], 7 p.	14
129	G.Wang et al. <i>CUPID. CUORE (Cryogenic Undergr. Obs. for Rare Events) Upgrade with Particle IDentification.</i> Electronic preprint arXiv:1504.03599 [physics.ins-det], 6 p.	14
130	F.Cappella et al. <i>On the potentiality of the ZnWO_4 anisotropic det. to measure the directionality of Dark Matter.</i> Eur. Phys. J. C 73(2013)2276, 13 p.	14
131	G.Bellini et al. <i>Search for solar axions produced in the $p(d;^3\text{He})\text{A}$ reaction with Borexino detector.</i> Phys. Rev. D 85(2012)092003, 11 p.	14
132	P.Belli et al. <i>New observation of $2\beta 2\nu$ decay of ^{100}Mo to the 0^+_1 level of ^{100}Ru in the ARMONIA experiment.</i> Nucl. Phys. A 846(2010)143-156.	14
133	G.Alimonti et al. <i>The liquid handling systems for the Borexino solar neutrino detector.</i> Nucl. Instrum. Meth. A 609(2009)58-78.	14
134	H.O.Back et al. <i>Study of neutrino electromagnetic properties with the prototype of the Borexino detector.</i> Phys. Lett. B 563(2003)35-47.	14
135	M.Agostini et al. <i>Spectroscopy of geoneutrinos from 2056 days of Borexino data.</i> Phys. Rev. D 92(2015)031101, 5 p.	13
136	A.S.Barabash et al. <i>Enriched $\text{Zn}^{100}\text{MoO}_4$ scint. bol. to search for $0\nu 2\beta$ decay of ^{100}Mo with the LUMINEU exp.</i> Eur. Phys. J. C 74(2014)3133, 7 p.	13
137	A.M.Dubovik et al., <i>R&D of ZnBO_4 ($B = \text{W}; \text{Mo}$) crystal scint. for dark matter and double beta decay searching.</i> Acta Phys. Pol. A 117(2010)15-19	13
138	R. Arnold et al. <i>Results of the search for neutrinoless double-β decay in ^{100}Mo with the NEMO-3 experiment.</i> Electronic preprint 1506.05825 [hep-ex], 23 p.	12
139	P.Agnes et al. <i>First results from the DarkSide-50 dark matter experiment at LNGS.</i> Electronic preprint 1410.0653 [astro-ph.CO], 14 p.	12
140	G.Bellini et al. <i>Observation of geo-neutrinos,</i> Electronic preprint 1003.0284 [hep-ex], 8 p.	12
141	F.A.Danevich et al. <i>MgWO_4 – A new crystal scintillator.</i> Nucl. Instrum. Meth. A 608(2009)107-115.	12
142	P.Belli et al. <i>Search for double-β decay processes in ^{108}Cd and ^{114}Cd with the help of the low-background CdWO_4 crystal scintillator.</i> Eur. Phys. J. A 36(2008)167-170.	12
143	P.Belli et al. <i>^7Li solar axions: Preliminary results and feasibility studies.</i> Nucl. Phys. A 806(2008)388-397..	12
144	G.Bellini et al. <i>Search for solar axions emitted in the $M1$-transition of $^7\text{Li}^*$ with Borexino CTF.</i> Eur. Phys. J. C 54(2008)61-72.	12
145	Yu.G.Zdesenko. <i>CAMEO/GEM program for future 2β decay and dark matter experiments.</i> Nucl. Phys. B (Proc. Suppl.) 110(2002)385-388.	12
146	F.A.Danevich et al. <i>Double β decay of ^{116}Cd. Final results of the Solotvina experiment and CAMEO project.</i> Nucl. Phys. B (Proc. Suppl.) 138(2005)230-232.	12
147	C.J.M.Longuemare (for the NEMO collaboration). <i>The double β decay experiment NEMO-3.</i> Part. Nucl. Lett. (Письма в ЭЧАЯ) 3(2001)62-68.	12
148	A.Barabash (for the SuperNEMO Collaboration). <i>SuperNEMO double beta decay experiment.</i> J. Phys.: Conf. Ser. 375(2012)042012, 4 p.	11
149	A.S.Barabash et al. <i>Low background detector with enriched $^{116}\text{CdWO}_4$ crystal scintillators to search for double β decay of ^{116}Cd.</i> JINST 06(2011)P08011, 24 p.	11
150	Yu.G.Zdesenko. <i>CAMEO/GEM program and future of double-β-decay research.</i> Ядерная физика 65(2002)2251-2260.	11
151	A.A.Klimenko et al. <i>Experimental limit on the charge non-conserving β decay of ^{73}Ge.</i> Phys. Lett. B 535(1999)77-84.	11
152	V.Alenkov et al. <i>Technical design report for the AMoRE $0\nu\beta\beta$ decay search experiment.</i> Electronic preprint arXiv:1512.05957 [physics.ins-det], 93 p.	10
153	R.Arnold et al. <i>Investigation of double beta decay of ^{100}Mo to excited states of ^{100}Ru.</i> Nucl. Phys. A 925(2014)25-36.	10

154	P.Belli et al. <i>Search for double-β decay processes in ^{106}Cd with the help of a $^{106}\text{CdWO}_4$ crystal scintillator.</i> Phys. Rev. C 85(2012)044610, 12 p.	10
155	J.W.Beeman et al. <i>An improved ZnMoO_4 scintillating bolometer for the search for $0\nu 2\beta$ decay of ^{100}Mo.</i> J. Low Temp. Phys. 167(2012)1021-1028.	10
156	P.Belli et al. <i>First search for double β decay of dysprosium..</i> Nucl. Phys. A 859(2011)126-139.	10
157	L.L.Nagornaya et al. <i>Growth of ZnWO_4 crystal scintillators for high sensitivity 2β experiments.</i> IEEE Trans. Nucl. Sci. 55(2008)1469-1472.	10
158	R.Bernabei et al. <i>Search for β and $\beta\beta$ decays in ^{48}Ca.</i> Nucl. Phys. A 705(2002)29-39.	10
159	F.A.Danevich et al. <i>Status of the INR experiment on 2β decay of ^{116}Cd.</i> Nucl. Phys. B (Proc. Suppl.) 70(1999)246-248.	10
160	A.Sh.Georgadze et al. <i>Invest. of rare alpha and beta decays by means of cadmium and zinc tungstate crystals.</i> Bull. Rus. Acad. Sci. Phys. 61(1997)1719.	10
161	NEMO Collaboration. <i>Double beta decay experiments with the tracking detector NEMO-2.</i> Nucl. Phys. B (Proc. Suppl.) 48(1996)226-228.	10
162	Yu.G.Zdesenko et al., <i>The study of the background of the detectors in the Solotvina underground laboratory.</i> Proc. 2nd Int. Symp. on Underground Physics, Nauka, Moscow, 1988, p. 291-295.	10
Σ		5866