

# The most cited LPD works

(last updated on 8.03.2018)

1	V.I.Tretyak and Yu.G.Zdesenko. <i>Tables of double beta decay data – an update.</i> <b>At. Data Nucl. Data Tables 80(2002)83-116.</b>	307
2	F.A.Danevich et al. <i>Search for <math>2\beta</math> decay of cadmium and tungsten isotopes: Final results of the Solotvina experiment.</i> <b>Phys. Rev. C 68(2003)035501, 12 p.</b>	208
3	V.I.Tretyak and Yu.G.Zdesenko. <i>Tables of double beta decay data.</i> <b>At. Data Nucl. Data Tables 61(1995)43-90.</b>	206
4	C.Arpesella et al., <i>Direct measurement of the <math>^7\text{Be}</math> solar neutrino flux with 192 days of Borexino data.</i> <b>Phys. Rev. Lett. 101(2008)091302, 6 p.</b>	197
5	Yu.G.Zdesenko et al. <i>Has neutrinoless double <math>\beta</math> decay of <math>^{76}\text{Ge}</math> been really observed?</i> <b>Phys. Lett. B 546(2002)206-215.</b>	138
6	V.I.Tretyak. <i>Semi-empirical calculation of quenching factors for ions in scintillators.</i> <b>Astropart. Phys. 33(2010)40-53.</b>	124
7	D.Dassie et al. <i>Two-neutrino double-<math>\beta</math> decay measurement of <math>^{100}\text{Mo}</math>.</i> <b>Phys. Rev. D 51(1995)2090-2100.</b>	124
8	F.A.Danevich et al. <i>The research of <math>2\beta</math> decay of <math>^{116}\text{Cd}</math> with enriched <math>^{116}\text{CdWO}_4</math> crystal scintillators.</i> <b>Phys. Lett. B 344(1995)72-78.</b>	119
9	F.T.Avignone III et al., <i>Next generation double-beta decay experiments: metrics for their evaluation.</i> <b>New J. Phys. 7(2005)6, 46 pp.</b>	100
10	R.Arnold et al. <i>Double beta decay of <math>^{96}\text{Zr}</math>.</i> <b>Nucl. Phys. A 658(1999)299-312.</b>	100
11	O.A.Ponkratenko et al. <i>Event gen. DECAY4 for simulation of double-beta proc. and decays of radioactive nuclei.</i> <b>Phys. Atom. Nuclei 63(2000)1282-1287.</b>	98
12	Yu.Zdesenko. <i>The future of double <math>\beta</math> decay research.</i> <b>Rev. Mod. Phys. 74(2002)663-684.</b>	97
13	G.Bellini et al., <i>Precision measurement of the <math>^7\text{Be}</math> solar neutrino interaction rate in Borexino.</i> <b>Phys. Rev. Lett. 107(2011)141302, 5 p.</b>	95
14	F.A.Danevich et al. <i>New results of <math>^{116}\text{Cd}</math> double <math>\beta</math> decay study with <math>^{116}\text{CdWO}_4</math> scintillators.</i> <b>Phys. Rev. C 62(2000)045501, 9 p.</b>	91
15	R.Arnold et al., <i>Probing new physics models of neutrinoless double beta decay with SuperNEMO.</i> <b>Eur. Phys. J. C 70(2010)927-943.</b>	90
16	R.Arnold et al. <i>Double-<math>\beta</math> decay of <math>^{82}\text{Se}</math>.</i> <b>Nucl. Phys. A 636(1998)209-223.</b>	83
17	F.A.Danevich et al. <i>Quest for double beta decay of <math>^{160}\text{Gd}</math> and <math>\text{Ce}</math> isotopes.</i> <b>Nucl. Phys. A 694(2001)375-391.</b>	80
18	G.Bellini et al. <i>High sensitivity <math>2\beta</math> decay study of <math>^{116}\text{Cd}</math> and <math>^{100}\text{Mo}</math> with the BOREXINO CTF (CAMEO project).</i> <b>Eur. J. Phys. C 19(2001)43-55.</b>	77
19	R.Arnold et al. <i>Double-<math>\beta</math> decay of <math>^{116}\text{Cd}</math>.</i> <b>Z. Physik C 72(1996)239-247.</b>	74
20	Yu.G.Zdesenko et al. <i>High sensitivity GEM experiment on <math>2\beta</math> decay of <math>^{76}\text{Ge}</math>.</i> <b>J. Phys. G: Nucl. Part. Phys. 27(2001)2129-2146.</b>	71
21	G.Bellini et al. <i>Observation of geo-neutrinos.</i> <b>Phys. Lett. B 687(2010)299-304.</b>	69
22	Ю.Г.Здесенко. <i>Двойной <math>\beta</math>-распад и сохранение лептонного заряда.</i> <b>ЭЧАЯ 11(1980)1369-1420.</b>	62
23	D.Blum et al. <i>Search for <math>\gamma</math> rays following <math>\beta\beta</math> decay of <math>^{100}\text{Mo}</math> to excited states of <math>^{100}\text{Ru}</math>.</i> <b>Phys. Lett. B 275(1992)506-511.</b>	54
24	F.A.Danevich et al. <i><math>\alpha</math> activity of natural tungsten isotopes.</i> <b>Phys. Rev. C 67(2003)014310, 8 p.</b>	51
25	G.Alimonti et al., <i>The Borexino detector at the Laboratori Nazionali del Gran Sasso.</i> <b>Nucl. Instrum. Meth. A 600(2009)568-593.</b>	50
26	F.A.Danevich et al., <i><math>\text{ZnWO}_4</math> crystals as detectors for <math>2\beta</math> decay and dark matter experiments.</i> <b>Nucl. Instrum. Meth. Phys. Res. A 544(2005)553-564</b>	50
27	Yu.G.Zdesenko et al., <i>Scintillation properties and radioactive contamination of <math>\text{CaWO}_4</math> crystal scintillators.</i> <b>Nucl. Instrum. Meth. Phys. Res. A 538(2005)657-667.</b>	49
28	P.Belli et al. <i>New limits on <math>2\beta^+</math> decay processes in <math>^{106}\text{Cd}</math>.</i> <b>Astropart. Phys. 10(1999)115-120.</b>	49
29	A.N.Annenkov et al., <i>Development of <math>\text{CaMoO}_4</math> crystal scintillators for a double beta decay experiment with <math>^{100}\text{Mo}</math>.</i> <b>Nucl. Instrum. Meth. Phys. Res. A 584(2008)334-345.</b>	45

30	A.Ш.Георгадзе и др. <i>Результаты исследований 2β-распада <sup>116</sup>Cd с помощью сцинтилляторов <sup>116</sup>CdWO<sub>4</sub>.</i> <b>Яд. Физика</b> 58(1995)1170-1179.	45
31	G.Bellini et al. <i>Neutrinos from the primary proton-proton fusion process in the Sun.</i> <b>Nature</b> 512(2014)383-386.	44
32	H.Ejiri et al. <i>Double beta decays of <sup>116</sup>Cd.</i> <b>J. Phys. Soc. Japan</b> 64(1995)339-343.	44
33	P.Belli et al., <i>Search for α decay of natural Europium.</i> <b>Nucl. Phys. A</b> 789(2007)15-29.	43
34	NEMO Collaboration. <i>NEMO experiment on double beta decay of <sup>100</sup>Mo. Present status and future.</i> <b>Nucl. Phys. B (Proc. Suppl.)</b> 35(1994)369-371.	43
35	H.O.Back et al., <i>New exp. limits on violations of the Pauli exclusion principle obtained with the Borexino CTF.</i> <b>Eur. Phys. J. C</b> 37(2004)421-431.	42
36	P.Belli et al. <i>New limits on spin-dependent coupled WIMPs and on 2β processes in <sup>40</sup>Ca and <sup>46</sup>Ca by using low radioactive CaF<sub>2</sub>(Eu) crystal scintillators.</i> <b>Nucl. Phys. B</b> 563(1999)97-106.	42
37	R.Arnold et al., <i>Probing new physics models of neutrinoless double beta decay with SuperNEMO.</i> <b>arXiv:1005.1241, 15 p.</b>	40
38	C.Cattadori et al. <i>Observation of β decay of <sup>115</sup>In to the first excited level of <sup>115</sup>Sn.</i> <b>Nucl. Phys. A</b> 748(2005)333-347.	40
39	G.Bellini et al., <i>Precision measurement of the <sup>7</sup>Be solar neutrino interaction rate in Borexino.</i> <b>arXiv:1104.1816, 5 p.</b>	39
40	Yu.G.Zdesenko et al., <i>CARVEL exp. with <sup>48</sup>CaWO<sub>4</sub> crystal scintillators for the double β decay study of <sup>48</sup>Ca.</i> <b>Astropart. Phys.</b> 23(2005)249-263.	38
41	C.Arpesella et al., <i>New results on solar neutrino fluxes from 192 days of Borexino data.</i> <b>Electronic preprint arXiv:0805.3843 [astro-ph], 6p.</b>	37
42	G.Bellini et al. <i>Final results of Borexino Phase I on low energy solar neutrino spectroscopy.</i> <b>Phys. Rev. D</b> 89(2014)112007.	36
43	R.Arnold et al. <i>Search for neutrinoless double-beta decay of <sup>100</sup>Mo with the NEMO-3 detector.</i> <b>Phys. Rev. D</b> 89(2014)111101, 6 p.	36
44	H.Bhang et al. <i>AMoRE exp.: a search for 0ν2β decay of <sup>100</sup>Mo isotope with <sup>40</sup>Ca<sup>100</sup>MoO<sub>4</sub> cryog. scint. detector.</i> <b>J. Phys.: Conf. Ser.</b> 375(2012)042023, 4 p.	36
45	S.Moriyama (on behalf of the XMASS Collaboration). <i>XMASS experiment I.</i> <b>Proc. Int. Workshop XENON'01, World Sci., 2002, p. 123-135.</b>	36
46	P.Belli et al. <i>New experimental limit on the electron stability and non-paulian transitions in Iodine atoms.</i> <b>Phys. Lett. B</b> 460(1999)236-241.	34
47	T.Fazzini et al., <i>Pulse-shape discrimination with CdWO<sub>4</sub> crystal scintillators.</i> <b>Nucl. Instrum. Meth. Phys. Research A</b> 410(1998)213-219.	34
48	A.Ш.Георгадзе и др. <i>Бета-распад <sup>113</sup>Cd.</i> <b>Яд. Физика</b> 59(1996)5-9.	33
49	F.A.Danevich et al. <i>Feasibility study of PbWO<sub>4</sub> and PbMoO<sub>4</sub> crystal scint. for cryogenic rare events experiments.</i> <b>Nucl. Instrum. Meth. A</b> 622(2010)608-613.	29
50	L.Bardelli et al., <i>Further study of CdWO<sub>4</sub> crystal scintillators as detectors for high sensitivity 2β experiments: Scintillation properties and pulse-shape discrimination.</i> <b>Nucl. Instrum. Meth. Phys. Res. A</b> 569(2006)743-753	28
51	P.Belli et al. <i>Performances of a CeF<sub>3</sub> crystal scintillator and its application to the search for rare processes.</i> <b>Nucl. Instrum. Meth. A</b> 498(2003)352-361.	28
52	R.Arnold et al. <i>Result of the search for neutrinoless double-β decay in <sup>100</sup>Mo with the NEMO-3 experiment.</i> <b>Phys. Rev. D</b> 92(2015)072011, 23 p.	27
53	J.W.Beeman et al. <i>A next-generation 0ν2β decay experiment based on ZnMoO<sub>4</sub> scintillating bolometers.</i> <b>Phys. Lett. B</b> 710(2012)318-323.	27
54	R.Arnold et al. <i>Testing the Pauli exclusion principle with the NEMO-2 detector.</i> <b>Eur. Phys. J. A</b> 6(1999)361-366.	27
55	S.Ph.Burachas et al. <i>Large volume CdWO<sub>4</sub> crystal scintillators.</i> <b>Nucl. Instrum. and Methods in Phys. Research A</b> 369(1996)164-168.	27
56	Ю.Г.Здесенко и др. <i>Поиски безнейтринного двойного β-распада <sup>96</sup>Zr.</i> <b>Известия АН СССР, сер. Физ.</b> 45(1981)1856-1860.	27
57	H.O.Back et al., <i>New limits on nucleon decays into invisible channels with the BOREXINO counting test facility.</i> <b>Phys. Lett. B</b> 563(2003)23-34.	26
58	K.Kume et al. <i>Double beta decays studied by Elegant.</i> <b>DBD and Rel. Topics (Trento, 1995) – World Sci., 1996. – P.490-495.</b>	26
59	L.L.Nagornaya et al. <i>Tungstate and molybdate scintillators to search for dark matter and double beta decay.</i> <b>IEEE Trans. Nucl. Sci.</b> 56(2009)2513-2518.	25
60	V.I.Tretyak. <i>Semi-empirical calculation of quenching factors for ions in scintillators.</i> <b>arXiv:0911.3041, 32 p.</b>	25

61	R.Arnold et al. <i>Performance of a prototype tracking detector for double beta decay measurements.</i> <b>Nucl. Instrum. Meth. A 354(1995)338-351.</b>	25
62	G.Bellini et al., <i>Measurement of geo-neutrinos from 1353 days of Borexino.</i> <b>Phys. Lett. B 722(2013)295-300.</b>	24
63	Ch.Marquet (for the NEMO coll.). <i>Double beta decay with the NEMO exp.: status of the NEMO 3 detector.</i> <b>Nucl. Phys. B (Proc. Suppl.) 87(2000)298-300.</b>	24
64	G.Bellini et al. <i>High sensitivity quest for Majorana neutrino mass with the BOREXINO counting test facility.</i> <b>Phys. Lett. B 493(2000)216-228.</b>	24
65	F.A.Danevich et al., <i>YAG:Nd crystals as possible detector to search for <math>2\beta</math> and <math>\alpha</math> decay of neodymium.</i> <b>Nucl. Instrum. Meth. A 541(2005)583-589.</b>	23
66	G. Bellini et al. <i>SOX: Short distance neutrino Oscillations with BoreXino.</i> <b>JHEP 08(2013)038.</b>	22
67	G.Bellini et al., <i>Absence of a day-night asymmetry in the <math>^7\text{Be}</math> solar neutrino rate in Borexino.</i> <b>Phys. Lett. B 707(2012)22-26.</b>	22
68	P.Belli et al. <i>Final results of an experiment to search for <math>2\beta</math> processes in zinc and tungsten with the help of radiopure <math>\text{ZnWO}_4</math> crystal scintillators,</i> <b>J. Phys. G 38(2011)115107, 15 p.</b>	22
69	S.J.Lee et al. <i>The development of a cryogenic det. with <math>\text{CaMoO}_4</math> crystals for neutrinoless double beta decay search.</i> <b>Astropart. Phys. 34(2011)732-737</b>	22
670	L.Gironi et al., <i>Performance of <math>\text{ZnMoO}_4</math> crystal as cryog. scint. bolometer to search for <math>2\beta</math> decay of molybdenum.</i> <b>J. of Instrumentation 5(2010)P11007, 12 p.</b>	22
71	P.Belli et al., <i>Search for double beta decay of zinc and tungsten with low-background <math>\text{ZnWO}_4</math> crystal scintillators.</i> <b>Nucl. Phys. A 826(2009)256-273.</b>	22
72	P.Belli et al., <i>Investigation of <math>\beta</math> decay of <math>^{113}\text{Cd}</math>.</i> <b>Phys. Rev. C 76(2007)064603, 10 p.</b>	22
73	R.Bernabei et al. <i>Search for the nucleon and di-nucleon decay into invisible channels.</i> <b>Phys. Lett. B 493(2000)12-18.</b>	22
74	Ю.Г.Здесенко. <i>Сохранение лептонного заряда в двойном <math>\beta</math>-распаде <math>^{130}\text{Te}</math>.</i> <b>Письма в ЖЭТФ 32(1980)62-67.</b>	22
75	P.Agnes et al., <i>First results from the DarkSide-50 dark matter experiment at Laboratori Nazionali del Gran Sasso,</i> <b>Phys. Lett. B 743(2015)456-466.</b>	21
76	G.Bellini et al. <i>Study of solar and other unknown anti-neutrino fluxes with Borexino at LNGS.</i> <b>Phys. Lett. B 696(2011)191-196.</b>	21
77	O.P.Barinova et al. <i>First test of <math>\text{Li}_2\text{MoO}_4</math> crystal as a cryogenic scintillating bolometer.</i> <b>Nucl. Instrum. Meth. A 613(2010)54-57.</b>	21
78	V.V.Kobychev et al., <i>Constraints on the photon charge from observations of extragalactic sources.</i> <b>Astronomy Lett. 31(2005)147-151.</b>	21
79	NEMO coll. (presented by A.S.Barabash), <i>Testing the Pauli exclusion principle with the NEMO-2 detector.</i> <b>Nucl. Phys. B (Proc. Suppl.) 87(2000)510-511.</b>	21
80	F.A.Danevich et al. <i>Investigation of <math>\beta^+\beta^+</math> and <math>\beta^+/\text{EC}</math> decay of <math>^{106}\text{Cd}</math>.</i> <b>Z. Physik A 355(1996)433-437.</b>	21
81	A.S.Barabash and NEMO Collaboration. <i>NEMO Collaboration: Latest results and perspectives for the future.</i> <b>Neutrino'96 Proc. (Helsinki, 1996) – World Sci., 1997, P.374-380.</b>	21
82	R.Arnold et al. <i>Observation of two neutrino double beta decay of <math>^{116}\text{Cd}</math> with the tracking detector NEMO-2.</i> <b>Письма в ЖЭТФ 61(1995)168-171.</b>	21
83	O.A.Ponkratenko et al. <i>Event gen. DECAY4 for simulation of double-beta proc. and decays of radioactive nuclei.</i> <b>Electronic preprint arXiv:0104018 [nucl-ex], 8 p.</b>	20
84	F.A.Danevich et al. <i>Limits on Majoron modes of <math>^{116}\text{Cd}</math> neutrinoless <math>2\beta</math> decay.</i> <b>Nucl. Phys. A 643(1998)317-328.</b>	20
85	D.Dassie et al. <i>NEMO 3 Proposal.</i> <b>Preprint LAL 94-29 (1994).</b>	20
86	F.A.Danevich et al. <i>New limits of half-lives for <math>2\beta</math> processes in Cd and W isotopes.</i> <b>WEIN'92: - World Scientific, 1993. – P.575-581.</b>	20
87	Yu.Zdesenko. <i>Double beta decay experiments at Kiev.</i> <b>J. Phys. G: Nucl. Part. Phys. 17(1991)s243-s249.</b>	20
88	P.Agnes et al. <i>Results from the first use of low radioactivity argon in a dark matter search.</i> <b>Phys. Rev. D 93(2016)081101, 7 p.</b>	19
89	V.I.Tretyak and Yu.G.Zdesenko <i>Exp. limits on the proton life-time from the neutrino experiments with heavy water.</i> <b>Phys. Lett. B 505(2001)59-63.</b>	19
90	P.Belli et al. <i>Quest for electron decay <math>e^- \rightarrow \nu_e \gamma</math> with a liquid xenon scintillator.</i> <b>Phys. Rev. D 61(2000)117301, 4 p.</b>	19
91	P.Belli et al., <i>New limits on the nuclear levels excitation of <math>^{127}\text{I}</math> and <math>^{23}\text{Na}</math> during charge nonconservation..</i> <b>Phys. Rev. C 60(1999)065501, 7 p.</b>	19

92	I.Kisel et al. <i>Cellular automaton and elastic net for event reconstruction in the NEMO-2 experiment.</i> <b>Nucl. Instrum. and Methods in Phys. Res. A 387(1997)433-442.</b>	19
93	P.Belli et al., <i>Search for <math>2\beta</math> processes in <math>^{64}\text{Zn}</math> with the help of <math>\text{ZnWO}_4</math> crystal scintillator.</i> <b>Phys. Lett. B 658(2008)193-197.</b>	18
94	R.Bernabei et al. <i>Performances and potentialities of a <math>\text{LaCl}_3:\text{Ce}</math> scintillator.</i> <b>Nucl. Instrum. Meth. A 555(2005)270-281.</b>	18
95	X.Sarazin (for the NEMO Coll.) <i>Double-<math>\beta</math> decays with the NEMO experiment: final results of NEMO-2 ...</i> <b>Nucl. Phys. B (Proc. Suppl.) 70(1999)239-241.</b>	18
96	NEMO Coll. (pres. By A.S.Barabash). <i>Invest. Of double beta decay of <math>^{82}\text{Se}</math> and <math>^{96}\text{Zr}</math> with tracking det. NEMO-2.</i> <b>Nucl. Phys. A 629(1998)517c-522c.</b>	18
97	K.Kume et al. <i>Double beta decays of <math>^{116}\text{Cd}</math>.</i> <b>Nucl. Phys. A 577(1994)405c-410c.</b>	18
98	A.Alessandrello et al., <i>Bolometric measurement of the beta spectrum of <math>^{113}\text{Cd}</math>.</i> <b>Nucl. Phys. B (Proc. Suppl.) 35(1994)394-396.</b>	18
99	Ф.А.Даневич и др. <i>Поиск <math>2\beta</math>-распада <math>^{116}\text{Cd}</math> с помощью сцинтиллятора <math>^{116}\text{CdWO}_4</math>.</i> <b>Письма в ЖЭТФ 49(1989)417-420.</b>	18
100	R.Arnold et al., <i>Search for neutrinoless double-beta decay of <math>^{100}\text{Mo}</math> with the NEMO-3 detector.</i> <b>Electronic preprint arXiv:1311.5695 [hep-ex], 5 p.</b>	17
101	F.A.Danevich et al. <i>Application of <math>\text{PbWO}_4</math> crystal scintillators in experiment to search for <math>2\beta</math> decay of <math>^{116}\text{Cd}</math>.</i> <b>Nucl. Instrum. Meth. A 556(2006)259-265.</b>	17
102	P.Belli et al. <i>Charge non-conservation restrictions from the nuclear levels excitation of <math>^{129}\text{Xe}</math> induced by the electron's decay on the atomic shell.</i> <b>Phys. Lett. B 465(1999)315-322.</b>	17
103	Ю.Г.Здесенко и др. <i>Изучение двойного <math>\beta</math>-распада <math>^{130}\text{Te}</math>.</i> <b>Ядерная физика 32(1980)607-616.</b>	17
104	H.Kraus et al., <i><math>\text{ZnWO}_4</math> scintillators for cryogenic dark matter experiments.</i> <b>Nucl. Instrum. Meth. A 600(2009)594-598.</b>	16
105	Yu.G.Zdesenko, V.I.Tretyak, <i>To what extent does the latest SNO result guarantee the proton stability?</i> <b>Phys. Lett. B 553(2003)135-140.</b>	16
106	Yu.G.Zdesenko et al. <i>High sensitivity GEM experiment on <math>2\beta</math> decay of <math>^{76}\text{Ge}</math>.</i> <b>Electronic preprint nucl-ex/0106021. – 20 p.</b>	16
107	F.Piquemal (for the NEMO collaboration). <i>Results from the NEMO experiment.</i> <b>Nucl. Phys. B (Proc. Suppl.) 77(1999)352-356.</b>	16
108	С.Ф.Бурачас и др. <i>О возможности поиска <math>2\beta</math>-распада <math>^{160}\text{Gd}</math> с помощью сцинтилляторов GSO.</i> <b>Яд. Физика 58(1995)195-199.</b>	16
109	Yu.G.Zdesenko et al. <i>The study of <math>2\beta</math>-decay of <math>^{100}\text{Mo}</math>.</i> <b>Proc. Int. Conf. Neutrino'82: Hungary, 1982. – Vol.1. – P.209-215.</b>	16
110	G.Bellini et al. <i>Cosmogenic backgrounds in Borexino at 3800 m water-equivalent depth.</i> <b>JCAP 08(2013)049, 29 p.</b>	15
111	P.Belli et al., <i>Search for double-<math>\beta</math> decays of <math>^{96}\text{Ru}</math> and <math>^{104}\text{Ru}</math> by ultra-low background HPGe <math>\gamma</math> spectrometry.</i> <b>Eur. Phys. J. A 42(2009)171-177.</b>	15
112	P.Belli et al. <i>First limits on <math>0\nu</math> res. <math>2\varepsilon</math> capt. in <math>^{136}\text{Ce}</math> and new limits for other <math>2\beta</math> proc. in <math>^{136}\text{Ce}</math> and <math>^{138}\text{Ce}</math> isotopes.</i> <b>Nucl. Phys. A 824(2009)101-114.</b>	15
113	J.Argyriades et al. <i>Measurement of the background in the NEMO 3 double beta decay experiment.</i> <b>Nucl. Instrum. Meth. A 606(2009)449-465.</b>	15
114	O.P.Barinova et al. <i>Intrinsic radiopurity of a <math>\text{Li}_2\text{MoO}_4</math> crystal.</i> <b>Nucl. Instrum. Meth. Phys. Res. A 607(2009)573–575.</b>	15
115	F.A.Danevich et al., <i>Two-neutrino <math>2\beta</math> decay of <math>^{116}\text{Cd}</math> and new half-life limits on <math>2\beta</math> decay of <math>^{180}\text{W}</math> and <math>^{186}\text{W}</math>.</i> <b>Nucl. Phys. A 717(2003)129-145.</b>	15
116	F.A.Danevich et al. <i>New results of <math>^{116}\text{Cd}</math> double <math>\beta</math> decay study with <math>^{116}\text{CdWO}_4</math> scintillators.</i> <b>Electronic preprint nucl-ex/0003001. – 28 p.</b>	15
117	F.Piquemal and NEMO Collaboration. <i>NEMO experiment on double beta decay. Present status.</i> <b>DBD and Rel. Topics (Trento, 1995) – World Sci., 1996. – P.496-501.</b>	15
118	Yu.G.Zdesenko et al. <i>Lead molybdate as a low-temperature scintillator in the experimental search for the neutrinoless double beta-decay of <math>^{100}\text{Mo}</math>.</i> <b>Instr. Exp. Technique 39(1996)364-368.</b>	15
119	F.A.Danevich et al. <i>Quest for neutrinoless double beta decay of <math>^{160}\text{Gd}</math>.</i> <b>Nucl. Phys. B (Proc. Suppl.) 48(1996)235-237.</b>	15
120	E.Bukhner et al. <i>Rare decays of mercury nuclei</i> <b>Sov. J. Nucl. Phys. 52(1990)193-197.</b>	15
121	F.A.Danevich et al. <i><math>\text{CdWO}_4</math>, <math>\text{ZnSe}</math> and <math>\text{ZnWO}_4</math> scintillators in studies of <math>2\beta</math>-processes.</i> <b>Instr. Exp. R. 32(1989)1059-1064.</b>	15
122	G.Bellini et al. <i>Final results of Borexino Phase-I on low energy solar neutrino spectroscopy.</i> <b>Electronic preprint arXiv:1308.0443 [hep-ex], 64 p.</b>	14

123	P.Belli et al. <i>Radioactive contamination of SrI<sub>2</sub>(Eu) crystal scintillator.</i> <b>Nucl. Instrum. Meth. A 670(2012)10-17.</b>	14
124	G.Bellini et al. <i>High sensitivity 2β decay study of <sup>116</sup>Cd and <sup>100</sup>Mo with the BOREXINO CTF (CAMEO project).</i> <b>Electronic preprint nucl-ex/0007012, 29 p.</b>	14
125	P.Agnes et al. <i>Results from the first use of low radioactivity argon in a dark matter search.</i> <b>Electronic preprint arXiv:1510.00702 [astro-ph.CO], 7 p.</b>	13
126	F.Cappella et al. <i>On the potentiality of the ZnWO<sub>4</sub> anisotropic det. to measure the directionality of Dark Matter.</i> <b>Eur. Phys. J. C 73(2013)2276, 13 p.</b>	13
127	P.Belli et al. <i>New observation of 2β2ν decay of <sup>100</sup>Mo to the 0<sup>+</sup><sub>1</sub> level of <sup>100</sup>Ru in the ARMONIA experiment.</i> <b>Nucl. Phys. A 846(2010)143-156.</b>	13
128	H.O.Back et al. <i>Study of neutrino electromagnetic properties with the prototype of the Borexino detector.</i> <b>Phys. Lett. B 563(2003)35-47.</b>	13
129	A.M.Dubovik et al., <i>R&amp;D of ZnBO<sub>4</sub> (B = W;Mo) crystal scint. for dark matter and double beta decay searching.</i> <b>Acta Phys. Pol. A 117(2010)15-19</b>	12
130	G.Alimonti et al. <i>The liquid handling systems for the Borexino solar neutrino detector.</i> <b>Nucl. Instrum. Meth. A 609(2009)58-78.</b>	12
131	P.Belli et al. <i>Search for double-β decay processes in <sup>108</sup>Cd and <sup>114</sup>Cd with the help of the low-background CdWO<sub>4</sub> crystal scintillator.</i> <b>Eur. Phys. J. A 36(2008)167-170.</b>	12
132	P.Belli et al. <i><sup>7</sup>Li solar axions: Preliminary results and feasibility studies.</i> <b>Nucl. Phys. A 806(2008)388-397..</b>	12
133	Yu.G.Zdesenko. <i>CAMEO/GEM program for future 2β decay and dark matter experiments.</i> <b>Nucl. Phys. B (Proc. Suppl.) 110(2002)385-388.</b>	12
134	C.J.M.Longuemare (for the NEMO collaboration). <i>The double β decay experiment NEMO-3.</i> <b>Part. Nucl. Lett. (Письма в ЭЧАЯ) 3(2001)62-68.</b>	12
135	M.Agostini et al. <i>Spectroscopy of geoneutrinos from 2056 days of Borexino data.</i> <b>Phys. Rev. D 92(2015)031101, 5 p.</b>	11
136	A.S.Barabash et al. <i>Enriched Zn<sup>100</sup>MoO<sub>4</sub> scint. bol. to search for 0ν2β decay of <sup>100</sup>Mo with the LUMINEU exp.</i> <b>Eur. Phys. J. C 74(2014)3133, 7 p.</b>	11
137	G.Bellini et al. <i>Search for solar axions produced in the p(d;<sup>3</sup>He)A reaction with Borexino detector.</i> <b>Phys. Rev. D 85(2012)092003, 11 p.</b>	11
138	F.A.Danevich et al. <i>MgWO<sub>4</sub> – A new crystal scintillator.</i> <b>Nucl. Instrum. Meth. A 608(2009)107-115.</b>	11
139	Yu.G.Zdesenko. <i>CAMEO/GEM program and future of double-β-decay research.</i> <b>Ядерная физика 65(2002)2251-2260.</b>	11
140	A.A.Klimenko et al. <i>Experimental limit on the charge non-conserving β decay of <sup>73</sup>Ge.</i> <b>Phys. Lett. B 535(1999)77-84.</b>	11
141	A.Barabash (for the SuperNEMO Collaboration). <i>SuperNEMO double beta decay experiment.</i> <b>J. Phys.: Conf. Ser. 375(2012)042012, 4 p.</b>	10
142	P.Belli et al. <i>Search for double-β decay processes in <sup>106</sup>Cd with the help of a <sup>106</sup>CdWO<sub>4</sub> crystal scintillator.</i> <b>Phys. Rev. C 85(2012)044610, 12 p.</b>	10
143	P.Belli et al. <i>First search for double β decay of dysprosium..</i> <b>Nucl. Phys. A 859(2011)126-139.</b>	10
144	A.S.Barabash et al. <i>Low background detector with enriched <sup>116</sup>CdWO<sub>4</sub> crystal scintillators to search for double β decay of <sup>116</sup>Cd.</i> <b>JINST 06(2011)P08011, 24 p.</b>	10
145	G.Bellini et al. <i>Search for solar axions emitted in the M1-transition of <sup>7</sup>Li* with Borexino CTF.</i> <b>Eur. Phys. J. C 54(2008)61-72.</b>	10
146	F.A.Danevich et al. <i>Double β decay of <sup>116</sup>Cd. Final results of the Solotvina experiment and CAMEO project.</i> <b>Nucl. Phys. B (Proc. Suppl.) 138(2005)230-232.</b>	10
147	R.Bernabeiet al. <i>Search for β and ββ decays in <sup>48</sup>Ca.</i> <b>Nucl. Phys. A 705(2002)29-39.</b>	10
148	F.A.Danevich et al. <i>Status of the INR experiment on 2β decay of <sup>116</sup>Cd.</i> <b>Nucl. Phys. B (Proc. Suppl.) 70(1999)246-248.</b>	10
149	A.Sh.Georgadze et al. <i>Invest. of rare alpha and beta decays by means of cadmium and zinc tungstate crystals.</i> <b>Bull. Rus. Acad. Sci. Phys. 61(1997)1719.</b>	10
150	NEMO Collaboration. <i>Double beta decay experiments with the tracking detector NEMO-2.</i> <b>Nucl. Phys. B (Proc. Suppl.) 48(1996)226-228.</b>	10
151	Yu.G.Zdesenko et al., <i>The study of the background of the detectors in the Solotvina underground laboratory.</i> <b>Proc. 2nd Int. Symp. on Underground Physics, Nauka, Moscow, 1988, p. 291-295.</b>	10
Σ		<b>5474</b>