

The most cited LPD works

(last updated on 15.11.2009)

1	V.I.Tretyak and Yu.G.Zdesenko. <i>Tables of double beta decay data.</i> At. Data Nucl. Data Tables 61(1995)43-90.	154
2	V.I.Tretyak and Yu.G.Zdesenko. <i>Tables of double beta decay data – an update.</i> At. Data Nucl. Data Tables 80(2002)83-116.	152
3	D.Dassie et al. <i>Two-neutrino double-β decay measurement of ^{100}Mo.</i> Phys. Rev. D 51(1995)2090-2100.	100
4	F.A.Danevich et al. <i>The research of 2β decay of ^{116}Cd with enriched $^{116}\text{CdWO}_4$ crystal scintillators.</i> Phys. Lett. B 344(1995)72-78.	95
5	Yu.G.Zdesenko et al. <i>Has neutrinoless double β decay of ^{76}Ge been really observed?</i> Phys. Lett. B 546(2002)206-215.	94
6	F.A.Danevich et al. <i>Search for 2β decay of cadmium and tungsten isotopes: Final results of the Solotvina experiment.</i> Phys. Rev. C 68(2003)035501, 12 p.	75
7	Yu.Zdesenko. <i>The future of double β decay research.</i> Rev. Mod. Phys. 74(2002)663-684.	69
8	G.Bellini et al. <i>High sensitivity 2β decay study of ^{116}Cd and ^{100}Mo with the BOREXINO CTF (CAMEO project).</i> Eur. J. Phys. C 19(2001)43-55.	66
9	F.A.Danevich et al. <i>New results of ^{116}Cd double β decay study with $^{116}\text{CdWO}_4$ scintillators.</i> Phys. Rev. C 62(2000)045501, 9 p.	64
10	Ю.Г.Здесенко. <i>Двойной β-распад и сохранение лептонного заряда.</i> ЭЧАЯ 11(1980)1369-1420.	61
11	R.Arnold et al. <i>Double beta decay of ^{96}Zr.</i> Nucl. Phys. A 658(1999)299-312.	59
12	Yu.G.Zdesenko et al. <i>High sensitivity GEM experiment on 2β decay of ^{76}Ge.</i> J. Phys. G: Nucl. Part. Phys. 27(2001)2129-2146.	58
13	R.Arnold et al. <i>Double-β decay of ^{82}Se.</i> Nucl. Phys. A 636(1998)209-223.	56
14	R.Arnold et al. <i>Double-β decay of ^{116}Cd.</i> Z. Physik C 72(1996)239-247.	50
15	F.A.Danevich et al. <i>Quest for double beta decay of ^{160}Gd and Ce isotopes.</i> Nucl. Phys. A 694(2001)375-391.	49
16	D.Blum et al. <i>Search for γrays following $\beta\beta$ decay of ^{100}Mo to excited states of ^{100}Ru.</i> Phys. Lett. B 275(1992)506-511.	43
17	NEMO Collaboration. <i>NEMO experiment on double beta decay of ^{100}Mo. Present status and future.</i> Nucl. Phys. B (Proc. Suppl.) 35(1994)369-371.	42
18	А.Ш.Георгадзе и др. <i>Результаты исследований 2β-распада ^{116}Cd с помощью сцинтилляторов $^{116}\text{CdWO}_4$.</i> Яд. Физика 58(1995)1170-1179.	37
19	F.T.Avignone III et al., <i>Next generation double-beta decay experiments: metrics for their evaluation.</i> New J. Phys. 7(2005)6, 46 pp.	31
20	S.Moriyama (on behalf of the XMASS Collaboration). <i>XMASS experiment I.</i> Proc. Int. Workshop XENON'01, World Sci., 2002, p. 123-135.	31
21	P.Belli et al. <i>New limits on $2\beta^+$ decay processes in ^{106}Cd.</i> Astropart. Phys. 10(1999)115-120.	30
22	P.Belli et al. <i>New limits on spin-dependent coupled WIMPs and on 2β processes in ^{40}Ca and ^{46}Ca by using low radioactive $\text{CaF}_2(\text{Eu})$ crystal scintillators.</i> Nucl. Phys. B 563(1999)97-106.	29
23	Ю.Г.Здесенко и др. <i>Поиски безнейтринного двойного β-распада ^{96}Zr.</i> Известия АН СССР, сер. Физ. 45(1981)1856-1860.	27
24	F.A.Danevich et al., <i>ZnWO_4 crystals as detectors for 2β decay and dark matter experiments.</i> Nucl. Instrum. Meth. Phys. Res. A 544(2005)553-564	25
25	Ch.Marquet (for the NEMO coll.). <i>Double beta decay with the NEMO exp.: status of the NEMO 3 detector.</i> Nucl. Phys. B (Proc. Suppl.) 87(2000)298-300.	24
26	H.Ejiri et al. <i>Double beta decays of ^{116}Cd.</i> J. Phys. Soc. Japan 64(1995)339-343.	24
27	K.Kume et al. <i>Double beta decays studied by Elegant.</i> DBD and Rel. Topics (Trento, 1995) – World Sci., 1996. – P.490-495.	24
28	А.Ш.Георгадзе и др. <i>Бета-распад ^{113}Cd.</i> Яд. Физика 59(1996)5-9.	22

29	Ю.Г.Здесенко. <i>Сохранение лептонного заряда в двойном β-распаде ^{130}Te.</i> Письма в ЖЭТФ 32(1980)62-67.	22
30	C.Arpesella et al., <i>Direct measurement of the ^7Be solar neutrino flux with 192 days of Borexino data.</i> Phys. Rev. Lett. 101(2008)091302, 6 p.	20
31	F.A.Danevich et al. <i>α activity of natural tungsten isotopes.</i> Phys. Rev. C 67(2003)014310, 8 p.	20
32	A.S.Barabash and NEMO Collaboration. <i>NEMO Collaboration: Latest results and perspectives for the future.</i> Neutrino'96 Proc. (Helsinki, 1996) – World Sci., 1997, P.374-380.	20
33	F.A.Danevich et al. <i>New limits of half-lives for 2β processes in Cd and W isotopes.</i> WEIN'92: - World Scientific, 1993. – P.575-581.	20
34	Yu.G.Zdesenko et al., <i>Scintillation properties and radioactive contamination of CaWO_4 crystal scintillators.</i> Nucl. Instrum. Meth. Phys. Res. A 538(2005)657-667.	18
35	D.Dassie et al. <i>NEMO 3 Proposal.</i> Preprint LAL 94-29 (1994).	18
36	O.A.Ponkratenko et al. <i>Event gen. DECAY4 for simulation of double-beta proc. and decays of radioactive nuclei.</i> Phys. Atom. Nuclei 63(2000)1282-1287.	17
37	X.Sarazin (for the NEMO Coll.) <i>Double-β decays with the NEMO experiment: final results of NEMO-2 ...</i> Nucl. Phys. B (Proc. Suppl.) 70(1999)239-241.	17
38	NEMO Coll. (pres. By A.S.Barabash). <i>Invest. Of double beta decay of ^{82}Se and ^{96}Zr with tracking det. NEMO-2.</i> Nucl. Phys. A 629(1998)517c-522c.	17
39	K.Kume et al. <i>Double beta decays of ^{116}Cd.</i> Nucl. Phys. A 577(1994)405c-410c.	17
40	Yu.Zdesenko. <i>Double beta decay experiments at Kiev.</i> J. Phys. G: Nucl. Part. Phys. 17(1991)s243-s249.	17
41	G.Bellini et al. <i>High sensitivity quest for Majorana neutrino mass with the BOREXINO counting test facility.</i> Phys. Lett. B 493(2000)216-228.	16
42	R.Arnold et al. <i>Observation of two neutrino double beta decay of ^{116}Cd with the tracking detector NEMO-2.</i> Письма в ЖЭТФ 61(1995)168-171.	16
43	Yu.G.Zdesenko et al. <i>The study of 2β-decay of ^{100}Mo.</i> Proc. Int. Conf. Neutrino'82: Hungary, 1982. – Vol.1. – P.209-215.	16
44	Ю.Г.Здесенко и др. <i>Изучение двойного β-распада ^{130}Te.</i> Ядерная физика 32(1980)607-616.	16
45	Yu.G.Zdesenko et al. <i>High sensitivity GEM experiment on 2β decay of ^{76}Ge.</i> Electronic preprint nucl-ex/0106021. – 20 p.	15
46	F.Piquemal (for the NEMO collaboration). <i>Results from the NEMO experiment.</i> Nucl. Phys. B (Proc. Suppl.) 77(1999)352-356.	15
47	F.A.Danevich et al. <i>Limits on Majoron modes of ^{116}Cd neutrinoless 2β decay.</i> Nucl. Phys. A 643(1998)317-328.	15
48	F.Piquemal and NEMO Collaboration. <i>NEMO experiment on double beta decay. Present status.</i> DBD and Rel. Topics (Trento, 1995) – World Sci., 1996. – P.496-501.	15
49	F.A.Danevich et al. <i>Investigation of $\beta^+ \beta^+$ and β^+/EC decay of ^{106}Cd.</i> Z. Physik A 355(1996)433-437.	15
50	Ф.А.Даневич и др. <i>Поиск 2β-распада ^{116}Cd с помощью сцинтиллятора $^{116}\text{CdWO}_4$.</i> Письма в ЖЭТФ 49(1989)417-420.	15
51	С.Ф.Бурачас и др. <i>О возможности поиска 2β-распада ^{160}Gd с помощью сцинтилляторов GSO.</i> Яд. Физика 58(1995)195-199.	14
52	A.Alessandrello et al., <i>Bolometric measurement of the beta spectrum of ^{113}Cd.</i> Nucl. Phys. B (Proc. Suppl.) 35(1994)394-396.	14
53	H.O.Back et al., <i>New exp. limits on violations of the Pauli exclusion principle obtained with the Borexino CTF.</i> Eur. Phys. J. C 37(2004)421-431.	13
54	V.I.Tretyak and Yu.G.Zdesenko <i>Exp. limits on the proton life-time from the neutrino experiments with heavy water.</i> Phys. Lett. B 505(2001)59-63.	13
55	F.A.Danevich et al. <i>New results of ^{116}Cd double β decay study with $^{116}\text{CdWO}_4$ scintillators.</i> Electronic preprint nucl-ex/0003001. – 28 p.	13
56	F.A.Danevich et al. <i>Quest for neutrinoless double beta decay of ^{160}Gd.</i> Nucl. Phys. B (Proc. Suppl.) 48(1996)235-237.	13
57	H.O.Back et al., <i>New limits on nucleon decays into invisible channels with the BOREXINO counting test facility.</i> Phys. Lett. B 563(2003)23-34.	12
58	Yu.G.Zdesenko, V.I.Tretyak, <i>To what extent does the latest SNO result guarantee the proton stability?</i> Phys. Lett. B 553(2003)135-140.	12
59	Yu.G.Zdesenko. <i>CAMEO/GEM program for future 2β decay and dark matter experiments.</i>	12

	Nucl. Phys. B (Proc. Suppl.) 110(2002)385-388.	
60	R.Bernabei et al. <i>Search for the nucleon and di-nucleon decay into invisible channels.</i> Phys. Lett. B 493(2000)12-18.	12
61	T.Fazzini et al., <i>Pulse-shape discrimination with CdWO₄ crystal scintillators.</i> Nucl. Instrum. Meth. Phys. Research A 410(1998)213-219.	12
62	E.Bukhner et al., <i>Rare decays of mercury nuclei</i> Sov. J. Nucl. Phys. 52(1990)193-197.	12
63	F.A.Danevich et al., <i>CdWO₄, ZnSe and ZnWO₄ scintillators in studies of 2β-processes.</i> Instr. Exp. R. 32(1989)1059-1064.	12
64	P.Belli et al., <i>Performances of a CeF₃ crystal scintillator and its application to the search for rare processes.</i> Nucl. Instrum. Meth. A 498(2003)352-361.	11
65	Yu.G.Zdesenko. <i>CAMEO/GEM program and future of double-β-decay research.</i> Ядерная физика 65(2002)2251-2260.	11
66	C.J.M.Longuemare (for the NEMO collaboration). <i>The double β decay experiment NEMO-3.</i> Part. Nucl. Lett. (Письма в ЭЧАЯ) 3(2001)62-68.	11
67	G.Bellini et al., <i>High sensitivity 2β decay study of ¹¹⁶Cd and ¹⁰⁰Mo with the BOREXINO CTF (CAMEO project).</i> Electronic preprint nucl-ex/0007012, 29 p.	11
68	P.Belli et al., <i>Charge non-conservation restrictions from the nuclear levels excitation of ¹²⁹Xe induced by the electron's decay on the atomic shell.</i> Phys. Lett. B 465(1999)315-322.	11
69	R.Arnold et al., <i>Performance of a prototype tracking detector for double beta decay measurements.</i> Nucl. Instrum. Meth. A 354(1995)338-351.	11
70	P.Belli et al., <i>Quest for electron decay $e^- \rightarrow \nu_e \gamma$ with a liquid xenon scintillator.</i> Phys. Rev. D 61(2000)117301, 4 p.	10
71	P.Belli et al., <i>New experimental limit on the electron stability and non-paulian transitions in Iodine atoms.</i> Phys. Lett. B 460(1999)236-241.	10
72	P.Belli et al., <i>New limits on the nuclear levels excitation of ¹²⁷I and ²³Na during charge nonconservation..</i> Phys. Rev. C 60(1999)065501, 7 p.	10
73	I.Kisel et al., <i>Cellular automaton and elastic net for event reconstruction in the NEMO-2 experiment.</i> Nucl. Instrum. and Methods in Phys. Res. A 387(1997)433-442.	10
74	NEMO Collaboration, <i>Double beta decay experiments with the tracking detector NEMO-2.</i> Nucl. Phys. B (Proc. Suppl.) 48(1996)226-228.	10
Σ		2241